




# 250/150 PSI DJ Series Butterfly Valves

## CODE NUMBER SYSTEM



1 SERIES STYLE	CODE
WAFER	5
LUG	6

2 BODY	CODE
DUCTILE IRON	1

3 DISC/STEM	CODE
DUCTILE IRON / 410 SS	1
ALUMINUM BRONZE / 410 SS	2
316 SS / 329 SS	3
316 SS / 410 SS	5

4 PRESSURE	CODE
150 PSI (4)	1
250 PSI (2)	3

5 LINER	CODE
NBR (BUNA-N)	B
EPDM	E

6 OPERATOR	CODE
LEVER (1)	L
GEAR (3)	G
BARE STEM	X

7 SIZE	CODE
2"	200
2½"	212
3"	300
4"	400
5"	500
6"	600
8"	800
10"	910
12"	912
14"	914
16"	916
18"	918
20"	920
24"	924

**NOTES:**

- (1) 2" ~ 8"
- (2) 2" ~ 12"
- (3) 10" ~ 24" Standard (2" ~ 8" Optional)
- (4) 14" ~ 24"

WAFER STYLE DUCTILE IRON DISC					
DUCTILE IRON BODY • EXT NECK • SS STEM EPDM (E)* / NBR (B)* LINER					
SIZE		5113(*)L	5113(*)G	WEIGHT	
Inch	CODE (xxx)	LEVER	GEAR	LEVER	GEAR
2	200	\$221	\$510	4.2	4.9
2½	212	\$229	\$525	5.0	5.7
3	300	\$243	\$540	6.8	8.6
4	400	\$300	\$585	7.4	9.2
5	500	\$384	\$680	12.9	14.2
6	600	\$485	\$780	15.9	17.2
8	800	\$700	\$995	29.9	33.6
10	910	-	\$1,270	-	55.6
12	912	-	\$1,680	-	70.6
		<b>5111(*)G</b>			
14	914	-	\$2,800	-	119.0
16	916	-	\$4,080	-	172.0
18	918	-	\$5,190	-	252.0
20	920	-	\$6,210	-	309.0
24	924	-	\$11,100	-	529.0

LUG STYLE DUCTILE IRON DISC					
DUCTILE IRON BODY • EXT NECK • SS STEM EPDM (E)* / NBR (B)* LINER					
SIZE		6113(*)L	6113(*)G	WEIGHT	
Inch	CODE (xxx)	LEVER	GEAR	LEVER	GEAR
2	200	\$251	\$545	6.4	7.1
2½	212	\$261	\$550	7.6	8.3
3	300	\$286	\$570	9.1	10.9
4	400	\$343	\$640	14.4	16.2
5	500	\$473	\$775	20.9	22.2
6	600	\$545	\$855	23.9	25.2
8	800	\$755	\$1,050	38.9	42.6
10	910	-	\$1,380	-	79.6
12	912	-	\$1,860	-	106.6
		<b>6111(*)G</b>			
14	914	-	\$3,510	-	160.0
16	916	-	\$5,370	-	247.0
18	918	-	\$6,420	-	337.0
20	920	-	\$8,090	-	430.0
24	924	-	\$14,280	-	712.0



## 250/150 PSI DJ-SERIES BUTTERFLY VALVES LEAD FREE\*

<b>WAFER STYLE ALUMINUM BRONZE DISC*</b>					
<b>DUCTILE IRON BODY • EXT NECK • SS STEM EPDM (E)* / NBR (B)* LINER</b>					
SIZE		5123(*)L LEVER	5123(*)G GEAR	WEIGHT	
Inch	CODE (xxx)			LEVER	GEAR
2	200	\$226	\$515	4.2	4.9
2½	212	\$229	\$525	5.0	5.7
3	300	\$246	\$540	6.8	8.6
4	400	\$303	\$600	7.4	9.2
5	500	\$419	\$715	12.9	14.2
6	600	\$500	\$805	15.9	17.2
8	800	\$770	\$1,060	29.9	33.6
10	910	-	\$1,380	-	55.6
12	912	-	\$1,970	-	70.6
14	914	-	<b>5121(*)G</b> \$3,710	-	119.0
16	916	-	\$5,170	-	172.0
18	918	-	\$6,382	-	252.0
20	920	-	\$8,230	-	309.0
24	924	-	\$12,530	-	529.0

<b>LUG STYLE ALUMINUM BRONZE DISC*</b>					
<b>DUCTILE IRON BODY • EXT NECK • SS STEM EPDM (E)* / NBR (B)* LINER</b>					
SIZE		6123(*)L LEVER	6123(*)G GEAR	WEIGHT	
Inch	CODE (xxx)			LEVER	GEAR
2	200	\$261	\$550	6.4	7.1
2½	212	\$269	\$555	7.6	8.3
3	300	\$287	\$585	9.1	10.9
4	400	\$351	\$655	14.4	16.2
5	500	\$498	\$790	20.9	22.2
6	600	\$570	\$875	23.9	25.2
8	800	\$825	\$1,130	38.9	42.6
10	910	-	\$1,480	-	79.6
12	912	-	\$2,140	-	106.6
14	914	-	<b>6121(*)G</b> \$4,170	-	160.0
16	916	-	\$6,080	-	247.0
18	918	-	\$7,620	-	337.0
20	920	-	\$9,590	-	430.0
24	924	-	\$14,560	-	712.0

<b>WAFER STYLE 316 STAINLESS STEEL DISC *</b>					
<b>DUCTILE IRON BODY • EXT NECK • 329 SS STEM EPDM (E)* / NBR (B)* LINER</b>					
SIZE		5133(*)L LEVER	5133(*)G GEAR	WEIGHT	
Inch	CODE (xxx)			LEVER	GEAR
2	200	\$226	\$515	4.2	4.9
2½	212	\$229	\$525	5.0	5.7
3	300	\$246	\$540	6.8	8.6
4	400	\$303	\$600	7.4	9.2
5	500	\$419	\$715	12.9	14.2
6	600	\$500	\$80	15.9	17.2
8	800	\$770	\$1,060	29.9	33.6
10	910	-	\$1,380	-	55.6
12	912	-	\$1,970	-	70.6
14	914	-	<b>5131(*)G</b> \$3,710	-	119.0
16	916	-	\$4,690	-	172.0
18	918	-	\$6,820	-	252.0
20	920	-	\$8,230	-	309.0
24	924	-	\$12,530	-	529.0

<b>LUG STYLE 316 STAINLESS STEEL DISC*</b>					
<b>DUCTILE IRON BODY • EXT NECK • 329 SS STEM EPDM (E)* / NBR (B)* LINER</b>					
SIZE		6133(*)L LEVER	6133(*)G GEAR	WEIGHT	
Inch	CODE (xxx)			LEVER	GEAR
2	200	\$261	\$550	6.4	7.1
2½	212	\$269	\$555	7.6	8.3
3	300	\$287	\$585	9.1	10.9
4	400	\$351	\$655	14.4	16.2
5	500	\$498	\$790	20.9	22.2
6	600	\$570	\$875	23.9	25.2
8	800	\$825	\$1,130	38.9	42.6
10	910	-	\$1,480	-	79.6
12	912	-	\$2,140	-	106.6
14	914	-	<b>6131(*)G</b> \$4,170	-	160.0
16	916	-	\$6,080	-	247.0
18	918	-	\$7,620	-	337.0
20	920	-	\$9,590	-	430.0
24	924	-	\$14,560	-	712.0

**Discontinued products replaced with 5153/6153 on next page.**



\*All KITZ Butterfly valves with Aluminum Bronze or 316 Stainless Steel Discs are LEAD FREE. Valves shipped from the factory after October 16, 2014 are listed in conformance with NSF/ANSI Standard 372 and comply with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.



## 250/150 PSI DJ-SERIES BUTTERFLY VALVES LEAD FREE\*

<b>WAFER STYLE 316 STAINLESS STEEL DISC *</b>					
<b>DUCTILE IRON BODY • EXT NECK • 410 SS STEM EPDM (E)* / NBR (B)* LINER</b>					
SIZE		5153(*)L	5153(*)G	WEIGHT	
Inch	CODE (xxx)	LEVER	GEAR	LEVER	GEAR
2	200	\$226	\$515	4.2	4.9
2½	212	\$229	\$525	5.0	5.7
3	300	\$246	\$540	6.8	8.6
4	400	\$303	\$600	7.4	9.2
5	500	\$419	\$715	12.9	14.2
6	600	\$500	\$805	15.9	17.2
8	800	\$770	\$1,060	29.9	33.6
10	910	-	\$1,380	-	55.6
12	912	-	\$1,970	-	70.6
14	914	-	<b>5151(*)G</b> \$3,710	-	119.0
16	916	-	\$5,170	-	172.0
18	918	-	\$6,820	-	252.0
20	920	-	\$8,230	-	309.0
24	924	-	\$12,530	-	529.0

<b>LUG STYLE 316 STAINLESS STEEL DISC*</b>					
<b>DUCTILE IRON BODY • EXT NECK • 410 SS STEM EPDM (E)* / NBR (B)* LINER</b>					
SIZE		6153(*)L	6153(*)G	WEIGHT	
Inch	CODE (xxx)	LEVER	GEAR	LEVER	GEAR
2	200	\$261	\$550	6.4	7.1
2½	212	\$269	\$555	7.6	8.3
3	300	\$287	\$585	9.1	10.9
4	400	\$351	\$655	14.4	16.2
5	500	\$498	\$790	20.9	22.2
6	600	\$570	\$875	23.9	25.2
8	800	\$825	\$1,130	38.9	42.6
10	910	-	\$1,480	-	79.6
12	912	-	\$2,140	-	106.6
14	914	-	<b>6151(*)G</b> \$4,170	-	160.0
16	916	-	\$6,080	-	247.0
18	918	-	\$7,620	-	337.0
20	920	-	\$9,590	-	430.0
24	924	-	\$14,560	-	712.0



\*All KITZ Butterfly valves with Aluminum Bronze or 316 Stainless Steel Discs are LEAD FREE. Valves shipped from the factory after October 16, 2014 are listed in conformance with NSF/ANSI Standard 372 and comply with lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

## 250/150 PSI DJ SERIES BUTTERFLY VALVES

<b>ACCESSORIES</b>		
<b>GEARS</b>		
<b>Valve Size</b>	<b>Model No.</b>	<b>Price</b>
2, 2 1/2	G-0	\$265.00
3, 4	G-1A	\$291.00
5, 6	G-1B	\$291.00
8	G-2A	\$314.00
10	G-2B	\$314.00
12	G-2C	\$314.00
14~18	G-3	\$825.00
20, 24	G-4	\$1,200.00
<b>MEMORY STOPS</b>		
2 ~ 2 1/2	MDJ-2	\$23.25
3 ~ 6	MDJ-3	\$23.25
8	MDJ-8	\$29.85

# **KITZ®**


KITZ CORPORATION OF AMERICA

TEL: (281) 491-7333 • FAX: (281) 491-9402 • TOLL FREE: 1-800-772-0073 • [www.kitzus-kca.com](http://www.kitzus-kca.com)



# 150 PSI Large Diameter Butterfly Valves

## CODE NUMBER SYSTEM



1 SERIES STYLE	CODE
LUG	6

2 BODY	CODE
DUCTILE IRON	1

3 DISC/STEM	CODE
CF8M / 410 SS	3

4 PRESSURE	CODE
150 PSI	1

5 LINER	CODE
EPDM	E

6 OPERATOR	CODE
GEAR	G


7 BRAND	CODE
CEPHAS, A KITZ GROUP COMPANY	C

8 SIZE	CODE
30"	930
36"	936
42"	942

LUG STYLE STAINLESS DISC			
DUCTILE IRON BODY EPDM LINER • SS STEM			
SIZE		6131EGC GEAR	WEIGHT
Inch	CODE (xxx)		GEAR
30	930	\$42,830	1588
36	936	\$64,740	2309
42	942	\$86,780	3165

## High Performance Butterfly Valves

### CODE NUMBER SYSTEM



1 SERIES STYLE	CODE
LUG	6
2 BODY	CODE
CARBON STEEL	3
3 DISC/STEM	CODE
A 351 GR. CF8M SS/ 420 SS	6
4 PRESSURE	CODE
CLASS 150 - HIGH PERFORMANCE	4
CLASS 300 - HIGH PERFORMANCE	5

5 OPERATOR	CODE
LEVER <sup>(1)</sup>	L
GEAR <sup>(2)</sup>	G

6 SIZE	CODE
2½"	212
3"	300
4"	400
5"	500
6"	600
8"	800
10"	910
12"	912

**NOTES:**

(1) 2-1/2" ~ 5"

(2) 6" ~ 12"

CLASS 150 HIGH PERFORMANCE BUTTERFLY VALVE CARBON STEEL BODY • SS DISC AND STEM					
DUAL OFFSET DESIGN • LUG STYLE BI-DIRECTIONAL DEAD END SERVICE					
SIZE		6364L- LEVER	6364G- GEAR	WEIGHT	
Inch	CODE (xxx)			LEVER	GEAR
2½	212	\$1,820	-	19.0	-
3	300	\$1,845	-	23.0	-
4	400	\$2,065	-	29.0	-
5	500	\$2,775	-	41.0	-
6	600	-	\$3,285	-	57.0
8	800	-	\$4,115	-	110.2
10	910	-	\$7,180	-	163.1
12	912	-	\$8,990	-	238.1


CLASS 300 HIGH PERFORMANCE BUTTERFLY VALVE CARBON STEEL BODY • SS DISC AND STEM					
DUAL OFFSET DESIGN • LUG STYLE BI-DIRECTIONAL DEAD END SERVICE					
SIZE		6365L- LEVER	6365G- GEAR	WEIGHT	
Inch	CODE (xxx)			LEVER	GEAR
2½	212	\$2,450	-	19.0	-
3	300	\$2,480	-	23.0	-
4	400	\$2,760	-	29.0	-
5	500	\$3,730	-	41.0	-
6	600	-	\$4,420	-	57.0
8	800	-	\$5,540	-	110.2
10	910	-	\$8,880	-	163.1
12	912	-	\$12,100	-	238.1

**⚠ WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



# 300 PSI Grooved Butterfly Valves

## CODE NUMBER SYSTEM



1 SERIES STYLE	CODE
GROOVED	4
2 BODY	CODE
NYLON COATED DUCTILE IRON	2
3 DISC/STEM	CODE
EPDM COATED DUCTILE IRON / 420 SS <sup>(1)</sup>	4
BUNA COATED DUCTILE IRON / 420 SS <sup>(1)</sup>	5
4 PRESSURE	CODE
300 PSI	4

5 OPERATOR	CODE
LEVER <sup>(2)</sup>	L
GEAR <sup>(3)</sup>	G
6 SIZE	CODE
2"	200
2 1/2"	212
3"	300
4"	400
5"	500
6"	600
8"	800
10"	910
12"	912

NOTES:

- (1) 2" ~ 2-1/2" 410SS
- (2) 2" ~ 6"
- (3) 8" ~ 12" Standard (2" ~ 6" Optional)

GROOVED END EPDM(4)* OR BUNA(5)* COATED DI DISC					
NYLON COATED DUCTILE IRON BODY EXT NECK • SS STEM					
SIZE		42(*)4L	42(*)4G	WEIGHT	
Inch	CODE (xxx)	LEVER	GEAR	LEVER	GEAR
2	200	\$570	\$850	5.2	5.0
2 1/2	212	\$705	\$985	6.8	7.0
3	300	\$740	\$1,020	9.1	10.3
4	400	\$870	\$1,160	12.0	12.5
5	500	\$1,560	\$1,840	24.2	24.6
6	600	\$1,670	\$1,970	28.4	29.9
8	800	-	\$2,610	-	45.1
10	910	-	\$3,450	-	92.6
12	912	-	\$3,820	-	118.1



Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

Certified to NSF/ANSI 61 & 372

**WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

