








COMMERCIAL BALL VALVES

BRASS & BRONZE BALL VALVES

TWO-PIECE BODY





ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
58* IPS    	014	\$ 16.90	0.27	20	120
	038	16.90	0.29	20	120
	012	15.65	0.38	12	96
	034	21.40	0.58	10	60
	100	30.05	1.06	6	36
	114	56.70	1.44	6	24
	112	77.00	2.42	4	16
	200	115.75	3.76	4	16
	212	276.00	8.05	2	-
	300	426.00	11.33	2	-
400	745.00	21.38	2	-	

* Maintenance Free Double O-Ring Stem Seal Design




ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
59* SOLDER   	014	\$ 16.90	0.25	20	120
	038	16.90	0.28	20	120
	012	15.65	0.36	12	96
	034	21.40	0.60	10	60
	100	30.05	1.09	6	36
	114	56.70	1.65	6	24
	112	77.00	3.13	4	16
	200	115.75	4.65	4	16
	212	276.00	8.40	2	-
	300	426.00	15.59	2	-
400	-	-	-	-	

* Maintenance Free Double O-Ring Stem Seal Design

WING HANDLE





ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
58W* IPS    	014	\$ 19.25	0.27	20	120
	038	19.25	0.26	20	120
	012	17.85	0.39	12	96
	034	24.80	0.65	10	60
	100	34.35	1.43	6	36
	114	62.45	2.83	6	24
	112	84.95	3.13	4	16
	200	127.25	3.80	4	16

* Maintenance Free Double O-Ring Stem Seal Design




ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
59W* SOLDER   	014	\$ -	-	-	-
	038	19.25	0.24	20	120
	012	17.85	0.35	12	96
	034	24.80	0.58	10	60
	100	34.35	1.02	6	36
	114	62.45	1.33	6	24
	112	84.95	2.24	4	16
	200	127.25	3.69	4	16

* Maintenance Free Double O-Ring Stem Seal Design

BRASS & BRONZE BALL VALVES

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG						
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING		
				BOX	CTN.	
68* IPS    	014	\$ 20.90	0.32	20	120	
	038	20.90	0.33	20	120	
	012	19.20	0.58	12	96	
	034	28.05	0.79	10	60	
	100	44.10	1.48	6	36	
	114	81.75	2.04	6	24	
	112	98.55	2.71	4	16	
	200	130.45	4.28	2	8	
	212	2 1/2" ~ 4" - See 68P				
	300					
400						



*3rd Party Certification applies to 1/4" - 2" only.

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
69* SOLDER   	014	\$ -	-	-	-
	038	20.90	0.32	20	120
	012	19.20	0.44	12	96
	034	28.05	0.80	10	60
	100	44.10	1.31	6	36
	114	81.75	1.82	6	24
	112	98.55	3.19	4	16
	200	130.45	4.50	4	16
	212	660.00	8.50	2	-
	300	1,020.00	13.0	2	-
-	-	-	-	-	-

*3rd Party Certification applies to 1/4" - 2" only.



*Note: Size: (2 1/2" - 3") rated at 150 WSP / 400 WOG

316 STAINLESS STEEL TRIM

ASTM B283 FORGED BRASS • FULL PORT SS BALL & STEM • 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
68M IPS  	014	\$ 45.55	0.31	20	120
	038	45.55	0.33	20	120
	012	45.55	0.60	12	96
	034	64.90	0.86	10	60
	100	96.55	1.41	6	36
	114	153.80	2.10	6	24
	112	214.00	3.27	4	16
	200	300.00	5.20	2	8



* UL-125, UL-842, & UL-1769 (1/4" - 2")

316 STAINLESS STEEL TRIM

ASTM B283 FORGED BRASS • FULL PORT SS BALL & STEM • 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
69M SOLDER  	014	\$ -	-	-	-
	038	45.55	0.41	20	120
	012	45.55	0.44	12	96
	034	64.90	0.78	10	60
	100	96.55	1.26	6	36
	114	153.80	1.95	6	24
	112	214.00	3.26	4	16
	200	300.00	5.20	4	16

* UL-125, UL-842, & UL-1769 (1/4" - 2")



MOUNTING PAD

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG**					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
68P IPS  	014	\$ 42.95	0.38	20	120
	038	42.95	0.39	20	120
	012	42.95	0.54	12	96
	034	69.75	0.85	10	60
	100	86.80	1.35	6	36
	114	133.90	2.12	6	24
	112	163.25	2.90	4	16
	200	210.00	4.30	2	8
	212	710.00	10.58	2	-
	300	1,070.00	17.42	2	-
	400	1,550.00	19.29	2	-

* UL-125, UL-842, & UL-1769 (1/4" - 2")

*Note: Size: (2 1/2" - 4") rated at 150 WSP / 400 WOG

250 # STEAM SEAT

ASTM B283 FORGED BRASS • FULL PORT • SS TRIM MTG. PAD • LOCKING HANDLE • 250 WSP / 600 WOG**					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
68PM IPS  	014	\$ 92.40	0.40	20	120
	038	92.40	0.42	20	120
	012	92.40	0.56	12	96
	034	125.05	0.90	10	60
	100	149.70	1.38	6	36
	114	236.00	2.19	6	24
	112	296.00	3.33	4	16
	200	357.00	5.25	2	8
	212	1,130.00	10.58	2	-
	300	1,320.00	17.42	2	-
	400	2,280.00	19.29	2	-


* UL-125, UL-842, & UL-1769 (1/4" - 2")

*Note: Size: (2 1/2" - 4") rated at 250 WSP / 400 WOG




BRASS & BRONZE BALL VALVES

LOCKING LEVER


FORGED BRASS • FULL PORT Cr BALL • 150 WSP / WOG 600						
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING		
				BOX	CTN.	
	68LL	014	\$ 27.80	0.33	20	120
	IPS	038	27.80	0.34	20	120
		012	26.15	0.51	12	96
		034	39.40	0.85	10	60
		100	55.35	1.34	6	36
		114	97.65	2.09	6	24
		112	114.40	2.80	4	16
		200	146.35	4.39	2	8


* Locking Lever is Carbon Steel


ONE-PIECE BODY

ASTM B283 FORGED BRASS • REDUCED PORT • Cr BALL 150 WSP / 600 WOG • SS LEVER HANDLE						
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING		
				BOX	CTN.	
	51	014	\$ 19.00	0.18	20	120
	IPS	038	19.00	0.27	20	120
		012	16.75	0.43	20	80
		034	23.60	0.64	16	96
		100	39.25	1.00	9	36
		114	57.30	1.67	8	32
		112	80.45	1.96	6	24
		200	112.00	3.35	4	16


THREE-PIECE BODY with MOUNTING PAD

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL MTG. Pad • 150 WSP / 600 WOG						
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING		
				BOX	CTN.	
	62	014	\$ 73.35	0.76	10	60
	IPS	038	73.35	0.73	10	60
		012	84.95	1.09	6	36
		034	104.25	1.40	6	24
		100	136.45	2.39	4	16
		114	195.65	3.84	4	8
		112	254.00	7.09	2	6
		200	468.00	11.79	2	4

ASTM B283 FORGED BRASS • FULL PORT 316 BALL & STEM • 150 WSP / 600 WOG						
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING		
				BOX	CTN.	
	62M	012	\$ 130.70	1.09	6	36
	IPS	034	160.30	1.40	6	24
		100	227.00	2.39	4	16
		114	311.00	3.84	4	8
		112	393.00	7.09	2	6
		200	635.00	11.79	2	4

ASTM B283 FORGED BRASS • FULL PORT 316 BALL & STEM • 150 WSP / 600 WOG						
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING		
				BOX	CTN.	
	63M	012	\$ 130.70	1.07	6	36
	SOLDER	034	160.30	1.37	6	24
		100	227.00	2.35	4	16
		114	311.00	3.71	4	8
		112	393.00	7.00	2	6
		200	635.00	11.63	2	4


THREE-WAY BODY with MOUNTING PAD


ASTM B283 FORGED BRASS • Cr BALL MTG. PAD • 100°F @ 300 PSI / 400 WOG						
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING		
				BOX	CTN.	
	54P	014*	\$ 67.95	0.18	20	120
	IPS	038*	67.95	0.37	20	120
		012	61.15	0.99	10	40
		034	84.20	1.30	8	32
		100	111.55	1.94	8	32
		114	176.55	2.72	6	12
		112	206.00	3.71	4	8
		200	297.00	6.00	2	4
		212*	825.00	9.92	2	-
		300*	1,200.00	16.75	2	-

* Note: Mounting Pad not available, order as a Code No. 54-XXX


CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


SPECIALTY BRASS BALL VALVES

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 200°F @ 400 PSI / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
68AD IPS 	012	\$ 29.65	0.49	12	96
	034	45.20	0.78	10	60
	100	63.95	1.26	6	36


ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 200°F @ 400 PSI / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
69AD SOLDER 	012	\$ 29.65	0.42	12	96
	034	45.20	0.75	10	60
	100	63.95	1.30	6	36

CAP & CHAIN


ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
68C IPS 	012	\$ 48.35	0.57	12	96
	034	67.95	0.90	10	60


ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
69C SOLDER 	012	\$ 48.35	0.49	12	96
	034	67.95	0.87	10	60

IPS x MALE

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
680 IPS 	014	\$ 25.15	0.36	20	120
	038	33.60	0.38	20	120
	012	33.60	0.55	12	96
	034	52.55	0.89	10	60
	100	71.35	1.42	6	36


SINGLE UNION

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 300°F @ 150 PSI / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
68U IPS 	014	\$ 45.20	0.46	20	120
	038	45.20	0.46	12	120
	012	48.35	0.66	12	96
	034	81.85	1.12	10	60
	100	110.85	1.69	6	36
	114	188.10	2.46	6	24
	112	236.00	3.85	4	16
	200	367.00	5.59	2	8

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 300°F @ 150 PSI / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
69U SOLDER 	014	\$ -	-	-	-
	038	45.20	0.44	20	120
	012	48.35	0.61	12	96
	034	81.85	1.13	10	60
	100	110.85	1.70	6	36
	114	188.10	2.47	6	24
	112	236.00	3.41	4	16
	200	367.00	6.07	2	8

SPECIALTY BRASS BALL VALVES


SAFETY EXHAUST

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL LOCKING HANDLE • 200 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 68S* IPS	014	\$ 41.70	0.32	20	120
	038	41.70	0.34	20	120
	012	41.70	0.50	12	96
	034	60.30	0.83	10	60
	100	78.10	1.33	6	36
	114	122.20	2.09	6	24
	112	152.85	3.30	4	16
	200	186.80	5.18	2	8


* Integral 1/4" Exhaust Tap - Sizes 1 ~ 2"

GAS BALL VALVES


FIPS

ASTM B283 FORGED BRASS • REGULAR PORT 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 60	038	\$ 12.35	0.28	12	96
	012	11.35	0.37	12	72
	034	14.95	0.55	10	60
	100	27.35	0.84	8	48

FIPS


ASTM B283 FORGED BRASS • FULL PORT • Cr BALL 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 60SQ	038	\$ 12.35	0.27	12	96
	012	11.35	0.37	12	72
	034	14.95	0.54	10	60
	100	27.35	0.82	8	48

FLARE x FIPS


ASTM B283 FORGED BRASS • REGULAR PORT WING HANDLE • 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 60F	038	\$ 14.40	0.37	12	96
	012	13.65	0.39	12	72
	034	17.55	0.60	10	60

Size: 3/8" x 1/2", 1/2" x 1/2", 5/8" x 3/4"

FLARE x FLARE


ASTM B283 FORGED BRASS • REGULAR PORT WING HANDLE • 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 60FF	038	\$ 14.40	0.32	12	96
	012	13.65	0.36	12	72
	058	17.55	0.60	10	60


FLARE x MALE

ASTM B283 FORGED BRASS • REGULAR PORT WING HANDLE • 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 60FO	012	\$ 13.65	0.38	12	72

Size: 3/8" x 1/2"

CAST IRON BALL VALVES

CLASS 125 CAST IRON • FULL PORT STAINLESS STEEL TRIM					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 90 FLANGED	200	\$ 840.00	22.00	2	2
	212	1,410.00	37.00	1	1
	300	1,770.00	46.00	1	1
	400	2,570.00	70.00	1	1
	600	6,870.00	174.00	1	1
	800	11,690.00	244.00	1	1

CLASS 125 CAST IRON • STANDARD PORT STAINLESS STEEL TRIM					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 91 FLANGED	600	\$ 5,090.00	119	1	1
	800	7,790.00	178	1	1
	910	12,940.00	262	1	1

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OPTIONS & ACCESSORIES

58 & 59 Series

OPTION	CODE NO.	SIZE	SPECIFY	LIST PRICE INSTALLED
Extension Stem	58/59	1/4" - 3/4"	EL-600	\$ 27.75
		1" - 1-1/4"	EL-601	33.25
		1-1/2" - 2"	EL-602	40.10
		2 1/2" - 4"	EL-604	111.25
Memory Stop Plate	58/59	1/4" - 3/4"	MS-600	7.70
		1" - 1-1/4"	MS-601	8.15
		1-1/2" - 2"	MS-602	8.80
Lever Handle	58/59	1/4" - 3/8"	LH- (Code No.)	12.00
		1/2" - 3/4"		15.55
		1" - 1-1/4"		17.30
		1-1/2" - 2"		19.25
		2-1/2"		30.65
		3" - 4"		119.85
Stainless Lever & Nut (304 SS)	58/59	1/4" - 3/4"	SSL-600	11.80
		1" - 1-1/4"	SSL-601	16.35
		1-1/2" - 2"	SSL-602	20.90
Oval Handle	58/59	1/4" - 3/4"	OH-600	30.65
		1" - 1-1/4"	OH-601	41.25
		1-1/2" - 2"	OH-602	44.45
Wing Handle	58/59	1/4" - 3/4"	WH-600	13.45
		1" - 1-1/4"	WH-601	20.95
		1-1/2" - 2"	WH-602	32.60



OPTIONS & ACCESSORIES FOR BALL VALVES

OPTION	CODE NO.	SIZE	SPECIFY	LIST PRICE INSTALLED
Memory Stop	68 / 69 62 / 63	1/4" - 3/4"	MS-11	\$ 10.10
		1" - 1-1/4"	MS-12	12.85
		1-1/2" - 2"	MS-3	14.10
Locking Levers (Stainless Steel)	68 / 69 62	1/4" - 3/8"	LL-1	23.90
		1/2"	LL-2	23.90
		3/4"	LL-3	26.70
		1" - 1-1/4"	LL-4	28.15
		1-1/2" - 2"	LL-5	29.60
Lever Handles	All	1/4" - 3/8"	LH-(Code No.)	12.00
		1/2" - 3/4"		15.55
		1" - 1-1/4"		17.30
		1-1/2" - 2"		19.25
		2-1/2"		30.65
		3"		119.85
Oval Handles	54/P	1/2" - 3/4"	OH-2	30.65
		1" - 1-1/2"	OH-3	42.15
		2"	OH-4	43.65
	68 / 69 62	1/4" - 1/2"	OH-1	29.75
		3/4"	OH-2	30.65
		1" - 1-1/4"	OH-3	42.15
		1-1/2" - 2"	OH-4	43.65
Locking Oval (Stainless Steel)	68 / 69 62	1/4" - 1/2"	OH-2L	42.15
		3/4"	OH-3L	42.15
		1" - 1-1/4"	OH-4L	57.45
		1-1/2" - 2"	OH-5L	60.35
Wing Handle	68 / 69 62	1/4" - 1/2"	WH-1	13.95
		3/4"	WH-2	13.95
		1" - 1-1/4"	WH-3	21.95
		1-1/2" - 2"	WH-4	33.90
		2-1/2"	WH-5	130.55
		3"	WH-6	147.25
Anti-Static Gournding Spring	All	1/4" - 3/4"	GS-1	12.00
		1" - 1-1/4"	GS-2	12.00
		1-1/2" - 2"	GS-3	12.00



CROSS REFERENCE CHART

BRASS & BRONZE

KITZ	APOLLO	MILWAUKEE	NIBCO	RED-WHITE	WATTS
51	9A-100/91-100	-	T-560-BR-Y	-	B-6100
54(P)	70-600	-	T585-70-W3	-	B-6780
58	70-100	BA-100	T-580 TFP600	-	FBV-4
58W	70-100-07	-	-	-	-
59	70-200	BA-150	S-580 SFP600	-	FBVS-4
59W	70-200-07	-	-	-	-
62	82-100	BA-300	T-590-Y/T-595-Y	5050	B-6800
62M	82-140	30BS0F	T595-Y-66	-	B-6800-SS
63M	82-240	30BS1F	S595-Y-66	-	B-6801-SS
68	77-100 80-100	BA-400 BA-425	T-580-70/T-585-70UL	5592	B-6000-UL
68AB	-	-	-	-	B-6004
68AD	95-100	-	-	5060	B-6300
68AM	-	-	-	-	-
68C	78-100	BA-100H	T585-70-HC	-	-
68LL	70-100-27	-	-	-	B-6400-LL
68M	70-140 80-140	-	T585-70-66	504SS	B-6080-SS
68O	70-800	-	MTT585-70	-	B-6002
68P	77-100	20BBOR	TM585-70	-	B-6400
68PM	77-140 71-140 (-64)	20BSOR	TM585-70-66	-	B-6400-SS-04
68S	75-100-41 (-27)	BZ-100ELD	T585-70-SV	5042	B-6400-SE-LL
68U	70-300	-	T585-70-SU	-	B6010
69	95-200	BA-455/BA-485	S-585-70	5049F/5549	B-6001/B-6081
69AD	78-200	-	-	5063	B-6301
69C	70-240	-	S585-70-HC	-	-
69M	70-240	-	S585-70-66	-	B-6081-SS
69U	70-400	-	S585-70-SU	-	B-6011
IRON					
KITZ	AMERICAN	MILWAUKEE	NIBCO	RED-WHTIE	WATTS
90	3700	-	-	-	G4000
91	-	-	-	-	-

This comparison chart is provided for the convenience of our customers. Valves listed may not be identical in design, materials of construction or basic pressure rating. KITZ catalogs and those of other valve manufacturers should be consulted for complete details.



GENERAL TERMS AND CONDITIONS

ACCEPTANCE. All quotations are for acceptance within 30 days from date of quotation unless extended in writing. In the event a purchase order is placed after this time, the Seller's company reserves the right to requote prices of all valves offered. All orders and contracts are subject to credit approval and acceptance by KITZ.

FREIGHT. All materials will be shipped F.O.B. point of shipment – no freight allowance unless otherwise stated and agreed upon with the Buyer.

PRICES. There will be added to all prices quoted any sales, excise, or similar tax which Seller may be required to collect on or in connection with the sale. Seller reserves the right to cancel any order in the event that selling prices shall be established by Federal, State or other governmental regulation with respect to the products covered by the order which shall be lower than the prices specified in the order.

ESCALATION TERMS. Prices shown in this price schedule reflect the costs in effect at the time of publication. These prices will remain firm on all products with a quoted delivery of twenty six (26) weeks or less. On products with a quoted delivery of more than 26 weeks, the Seller has a right to price and invoice at the applicable price sheet in effect at the time of shipment. In no event will the invoiced price be less than price originally quoted.

DEFERRED SHIPMENTS. If for any reason the Buyer desires to delay shipments more than 30 days after manufacturing or to place a hold or to stop the order during the manufacturing cycle, the Seller's company reserves the right to consider the order cancelled and to invoke cancellation charges.

CREDIT TERMS. As quoted. Overdue balances will be subject to 1.5% service charge per month on such indebtedness.

DELIVERIES. Shipments made to the Buyer shall at all times be subject to the approval of Seller's Credit Department. All schedules of shipments are estimated as closely as possible and Seller will use its best effort to ship within the time schedule but does not guarantee to do so. Seller shall not be liable for any direct, indirect, or consequential damage or loss caused by delay in delivery, regardless of the cause of delay. Items offered from stock are subject to prior sale.

RETURNS. No returns are allowed without prior arrangements made with the Seller. Product considered for return must be in new, resalable condition and of current design.

WARRANTY. Seller will replace without charge or refund the purchase price of products manufactured by Seller which prove to be defective in material or workmanship, provided in each case that the product is properly installed and is used in the service for which Seller recommends it and that written claim, specifying the alleged defect, is presented to the Seller within one year from the date of shipment. For Copper Alloy and Iron valves sold and installed in the U.S. the warranty is five years. Seller shall in no event be responsible for claims of A) labor, expenses, or other damages occasioned by defective parts or products or for B) consequential or secondary damages. The Warranty stated in this paragraph is in lieu of all other warranties, either expressed or implied. With respect to warranties, this paragraph states Buyer's exclusive remedy and Seller's exclusive liability.

DESIGN. Because of a policy of continuous product improvement, Seller reserves the right to change design, materials or specifications without notice. There will be a charge for modifying an order after it has been entered when such change or modification results in additional engineering or clerical work for either KITZ or its suppliers.

NOTE. KITZ reserves the right to correct any obvious clerical errors in quotations, invoices and other contracts.

*K-Press warranty is limited to two years.

KITZ[®]

KITZ CORPORATION OF AMERICA

10750 Corporate Drive • Stafford, Texas 77477 U.S.A.

Tel: (281) 491-7333 • Fax: (281) 491-9402 • Toll Free: 1-800-772-0073 • www.kitzus-kca.com

Copyright © 2024, Kitz Corporation of America