KITZ®

Commercial Ball Valves

BRASS & BRONZE BALL VALVES

TWO-PIECE BODY

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	$ 12.80	0.27	20	120
	038	12.80	0.29	20	120
	012	11.80	0.38	12	96
	034	16.20	0.58	10	60
	100	22.70	1.06	6	36
	114	42.80	1.44	6	24
	112	58.20	2.42	4	16
58*	200	87.45	3.76	4	16
IPS	212	209.00	8.05	2	-
	300	322.00	11.33	2	-
	400	565.00	21.38	2	-

*3rd Party Certification applies to $^{1}/_{4}$″ ~ 2″ only

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	$ 12.80	0.25	20	120
	038	12.80	0.28	20	120
	012	11.80	0.36	12	96
	034	16.20	0.60	10	60
	100	22.70	1.09	6	36
	114	42.80	1.65	6	24
	112	58.20	3.13	4	16
59*	200	87.45	4.65	4	16
SOLDER	212	209.00	8.40	2	-
	300	322.00	15.59	2	-
	-	-	-	-	-

*3rd Party Certification applies to $^{1}/_{4}$″ ~ 2″ only

WING HANDLE

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	$ 14.60	0.27	20	120
	038	14.60	0.26	20	120
	012	13.45	0.39	12	96
	034	18.70	0.65	10	60
	100	25.95	1.43	6	36
58W	114	47.20	2.83	6	24
IPS	112	64.15	3.13	4	16
	200	96.10	3.80	4	16

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	$ -	-	-	-
	038	14.60	0.24	20	120
	012	13.45	0.35	12	96
	034	18.70	0.58	10	60
	100	25.95	1.02	6	36
59W	114	47.20	1.33	6	24
SOLDER	112	64.15	2.24	4	16
	200	96.10	3.69	4	16

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

BRASS & BRONZE BALL VALVES

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68* IPS	014	$ 15.80	0.32	20	120
	038	15.80	0.33	20	120
	012	14.55	0.58	12	96
	034	21.20	0.79	10	60
	100	33.30	1.48	6	36
	114	61.75	2.04	6	24
	112	74.45	2.71	4	16
	200	98.55	4.28	2	8
	212	$2^1/_2$″ ~ 4″ (See 68P)			
	300				
	400				

*3rd Party Certification applies to $^1/_4$″ ~ 2″ only

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
69* SOLDER	014	$ -	-	-	-
	038	15.80	0.32	20	120
	012	14.55	0.44	12	96
	034	21.20	0.80	10	60
	100	33.30	1.31	6	36
	114	61.75	1.82	6	24
	112	74.45	3.19	4	16
	200	98.55	4.50	4	16
	212	500.00	8.50	2	-
	300	770.00	13.00	2	-
	400	-	-	-	-

*3rd Party Certification applies to $^1/_4$″ ~ 2″ only

316 STAINLESS STEEL TRIM

ASTM B283 FORGED BRASS • FULL PORT
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68M IPS *	014	$ 34.40	0.31	20	120
	038	34.40	0.33	20	120
	012	34.40	0.60	12	96
	034	49.00	0.86	10	60
	100	72.90	1.41	6	36
	114	116.20	2.10	6	24
	112	161.70	3.27	4	16
	200	227.00	5.20	2	8
	212	-	-	-	-
	300	-	-	-	-
	400	-	-	-	-

*UL-125, UL-842, & UL-1769 ($^1/_4$″ ~ 2″)

316 STAINLESS STEEL TRIM

ASTM B283 FORGED BRASS • FULL PORT
SS BALL & STEM • 150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
69M CxC *	014	$ -	-	-	-
	038	34.40	0.41	20	120
	012	34.40	0.44	12	96
	034	49.00	0.78	10	60
	100	72.90	1.26	6	36
	114	116.20	1.95	6	24
	112	161.70	3.26	4	16
	200	227.00	5.20	4	16
	212	-	-	-	-
	300	-	-	-	-
	400	-	-	-	-

*UL-125, UL-842, & UL-1769 ($^1/_4$″ ~ 2″)

MOUNTING PAD

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG**

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68P IPS *	014	$ 32.45	0.38	20	120
	038	32.45	0.39	20	120
	012	32.45	0.54	12	96
	034	52.70	0.85	10	60
	100	65.55	1.35	6	36
	114	101.15	2.12	6	24
	112	123.35	2.90	4	16
	200	158.65	4.30	2	8
	212**	535.00	10.58	2	-
	300**	810.00	17.42	2	-
	400**	1,170.00	19.29	2	-

*UL-125, UL-842, & UL-1769 ($^1/_4$″ ~ 2″)
**Note: Size $2^1/_2$″ ~ 4″ rated at 150 WSP / 400 WOG

250# STEAM SEAT

ASTM B283 FORGED BRASS • FULL PORT • SS TRIM
MTG. PAD • LOCKING HANDLE • 250 WSP / 600 WOG**

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68PM IPS *	014	$ 69.80	0.40	20	120
	038	69.80	0.42	20	120
	012	69.80	0.56	12	96
	034	94.45	0.90	10	60
	100	113.10	1.38	6	36
	114	177.90	2.19	6	24
	112	223.00	3.33	4	16
	200	269.00	5.25	2	8
	212	855.00	10.58	2	-
	300	995.00	17.42	2	-
	400	1,730.00	19.29	2	-

*UL-125, UL-842, & UL-1769 ($^1/_4$″ ~ 2″)
**Note: Size $2^1/_2$″ ~ 4″ rated at 250 WSP / 400 WOG

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

BRASS & BRONZE BALL VALVES

LOCKING LEVER

FORGED BRASS • FULL PORT Cr BALL • 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	$ 21.00	0.33	20	120
	038	21.00	0.34	20	120
	012	19.75	0.51	12	96
	034	29.80	0.85	10	60
	100	41.80	1.34	6	36
68LL	114	73.75	2.09	6	24
IPS	112	86.40	2.80	4	16
	200	110.55	4.39	2	8

Note: Locking Lever is Carbon Steel

ONE-PIECE BODY

ASTM B283 FORGED BRASS • REDUCED PORT • Cr BALL 150 WSP / 600 WOG • SS LEVER HANDLE					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	$ 14.35	0.18	20	120
	038	14.35	0.27	20	120
	012	12.65	0.43	20	120
	034	17.80	0.64	16	96
	100	29.65	1.00	9	36
51	114	43.35	1.67	8	32
IPS	112	60.80	1.96	6	24
	200	84.60	3.35	4	16

THREE-PIECE BODY with Mounting Pad

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL MTG. PAD • 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	$ 55.40	0.76	10	60
	038	55.40	0.73	10	60
	012	64.15	1.09	6	36
	034	78.75	1.40	6	24
	100	103.10	2.39	4	16
	114	147.80	3.84	4	8
62	112	191.70	7.09	2	6
IPS	200	354.00	11.79	2	4

ASTM B283 FORGED BRASS • FULL PORT 316 BALL & STEM • 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	012	$ 98.75	1.09	6	36
	034	121.10	1.40	6	24
	100	171.45	2.39	4	16
	114	234.00	3.84	4	8
	112	296.00	7.09	2	6
62M	200	483.00	11.79	2	4
IPS					

ASTM B283 FORGED BRASS • FULL PORT 316 BALL & STEM • 150 WSP / 600 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	012	$ 98.75	1.07	6	36
	034	121.10	1.37	6	24
	100	171.45	2.35	4	16
	114	234.00	3.71	4	8
	112	296.00	7.00	2	6
63M	200	483.00	11.63	2	4
SOLDER					

THREE-WAY BODY with Mounting Pad

ASTM B283 FORGED BRASS • Cr BALL MTG. PAD • 100ºF @ 300 PSI / 400 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014*	$ 51.30	0.18	20	120
	038*	51.30	0.37	20	120
	012	46.20	0.99	10	40
	034	63.65	1.30	8	32
	100	84.25	1.94	8	32
	114	133.35	2.72	6	12
	112	155.75	3.71	4	8
54P	200	224.00	6.00	2	4
IPS	212*	625.00	9.92	2	-
	300*	900.00	16.75	2	-

*Note: Mounting Pad not available, order as a Code 54-XXX.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SPECIALTY BRASS BALL VALVES

TWO-PIECE BODY

DRAINABLE

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
200ºF @ 400 PSI / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68AD IPS	012	$ 22.40	0.49	12	96
	034	34.15	0.78	10	60
	100	48.30	1.26	6	36

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
200ºF @ 400 PSI / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
69AD SOLDER	012	$ 22.40	0.42	12	96
	034	34.15	0.75	10	60
	100	48.30	1.30	6	36

CAP & CHAIN

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68C IPS x HOSE	012	$ 36.55	0.57	12	96
	034	51.30	0.90	10	60

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
69C C x HOSE	012	$ 36.55	0.49	12	96
	034	51.30	0.87	10	60

IPS x MALE

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
150 WSP / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68O IPS	014	$ 19.00	0.36	20	120
	038	25.40	0.38	20	120
	012	25.40	0.55	12	96
	034	39.70	0.89	10	60
	100	53.90	1.42	6	36

SINGLE UNION

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
300ºF @ 150 PSI / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68U IPS	014	$ 34.15	0.46	20	120
	038	34.15	0.46	12	120
	012	36.55	0.66	12	96
	034	61.85	1.12	10	60
	100	83.75	1.69	6	36
	114	142.05	2.46	6	24
	112	177.90	3.85	4	16
	200	278.00	5.59	2	8

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL
300ºF @ 150 PSI / 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
69U SOLDER	014	$ -	-	-	-
	038	34.15	0.44	20	120
	012	36.55	0.61	12	96
	034	61.85	1.13	10	60
	100	83.75	1.70	6	36
	114	142.05	2.47	6	24
	112	177.90	3.41	4	16
	200	278.00	6.07	2	8

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

SPECIALTY BRASS BALL VALVES

SAFETY EXHAUST

ASTM B283 FORGED BRASS • FULL PORT • Cr BALL LOCKING HANDLE • 200 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
68S* IPS	014	$ 31.45	0.32	20	120
	038	31.45	0.34	20	120
	012	31.45	0.50	12	96
	034	45.60	0.83	10	60
	100	59.00	1.33	6	36
	114	92.35	2.09	6	24
	112	115.45	3.30	4	16
	200	141.10	5.18	2	8

*Integral $^1/_4$″ Exhaust Tap - Sizes: 1″~2″

GAS BALL VALVES

FIPS

ASTM B283 FORGED BRASS • REGULAR PORT WING HANDLE • 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
60	038	$ 9.30	0.28	12	96
	012	8.60	0.37	12	72
	034	11.30	0.55	10	60
	100	20.65	0.84	8	48

FIPS

ASTM B283 FORGED BRASS • REGULAR PORT SQUARE OPERATING NUT • 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
60SQ	038	$ 9.30	0.27	12	96
	012	8.60	0.37	12	72
	034	11.30	0.54	10	60
	100	20.65	0.82	8	48

FLARE x FIPS

ASTM B283 FORGED BRASS • REGULAR PORT WING HANDLE • 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
60F	038[1]	$ 10.90	0.37	12	96
	012	10.30	0.39	12	72
	034[2]	13.25	0.60	10	60

[1]Size: 3/8 x 1/2, [2]Size: 5/8 x 3/4

FLARE x FLARE

ASTM B283 FORGED BRASS • REGULAR PORT WING HANDLE • 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
60FF	038	$ 10.90	0.32	12	96
	012	10.30	0.36	12	72
	058	13.25	0.60	10	60

FLARE X MIPS

ASTM B283 FORGED BRASS • REGULAR PORT WING HANDLE • 175 WOG					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
60FO	012	$ 10.30	0.38	12	72

[1]Size: 3/8 x 1/2

CAST IRON BALL VALVES

CLASS 125 CAST IRON • FULL PORT STAINLESS STEEL TRIM					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING PLT
90 FLANGED	200	$ 635.00	22	2	30
	212	1,060.00	37	1	20
	300	1,340.00	46	1	20
	400	1,940.00	70	1	16
	600	5,190.00	174	1	9
	800	8,830.00	244	1	6

CLASS 125 CAST IRON • STANDARD PORT STAINLESS STEEL TRIM					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING PLT
91 FLANGED	600	$ 3,850.00	119	1	9
	800	5,890.00	178	1	6
	910	9,770.00	262	1	4

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CARBON STEEL BALL VALVES

ONE-PIECE BODY

ASTM A216 Gr. WCB • REDUCED PORT • 316 SS TRIM
SS LEVER HANDLE • 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
50 IPS	014	See Current BV Sheet	0.18	20	120
	038		0.22	20	120
	012		0.43	20	120
	034		0.64	16	96
	100		1.00	9	54
	114		1.63	8	32
	112		1.96	6	24
	200		3.25	4	16

REDUCED PORT • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD*
L. OVAL HANDLE (1/4″-1″) / L. LEVER HANDLE (1 1/4″-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 119-LOH (1/4″~1″) 2000 WOG 119 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.35	8	24
	038		0.37	8	24
	012		0.62	8	24
	034		0.86	8	24
	100		1.21	8	24
	114		1.92	30	-
	112		2.84	18	-
	200		4.26	10	-

*NOTE: Exception - 1/4″ & 3/8″

TWO-PIECE BODY

ASTM A216 Gr. WCB • REGULAR PORT • 316 SS TRIM
LOCKING LEVER HANDLE

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 49M (1/4″~1″) 2000 WOG 49M (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.61	10	80
	038		0.58	10	80
	012		0.67	10	60
	034		1.25	8	48
	100		1.69	8	32
	114		2.56	4	16
	112		3.75	2	12
	200		6.67	2	6

REGULAR PORT • NACE

ASTM A216 Gr. WCB • MOUNTING PAD* • 316 SS TRIM
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 217-LOH (1/4″~1″) 2000 WOG 217 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.71	8	24
	038		0.71	8	24
	012		0.89	6	18
	034		1.22	6	18
	100		2.08	4	12
	114		2.20	30	-
	112		3.63	16	-
	200		5.67	12	-

REGULAR PORT • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 219-LOH (1/4″~1″) 2000 WOG 219 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.71	8	24
	038		0.71	8	24
	012		0.89	6	18
	034		1.22	6	18
	100		2.08	4	12
	114		2.20	30	-
	112		3.63	16	-
	200		5.67	12	-

REGULAR PORT • SEAL WELD • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 237-LOH (1/4″~1″) 2000 WOG 237 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.71	8	24
	038		0.71	8	24
	012		0.89	6	18
	034		1.22	6	18
	100		2.08	4	12
	114		2.20	30	-
	112		3.63	16	-
	200		5.67	12	-

REGULAR PORT • SEAL WELD • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 239-LOH (1/4″~1″) 2000 WOG 239 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.71	8	24
	038		0.71	8	24
	012		0.89	6	18
	034		1.22	6	18
	100		2.08	4	12
	114		2.20	30	-
	112		3.63	16	-
	200		5.67	12	-

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

KITZ®

CARBON STEEL BALL VALVES

*THREE-PIECE BODY**

THREADED

REGULAR PORT • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4″-1″) /L. LEVER HANDLE (1 1/4″-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
317-LOH (1/4″~1″) 1500 WOG 317 (1 1/4″~2″) 1000 WOG	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
	114		8.00	4	-
	112		9.00	4	-
	200		14.00	2	-
	212		29.00	2	-

THREADED

REGULAR PORT • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4″-1″) /L. LEVER HANDLE (1 1/4″-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
319-LOH (1/4″~1″) 1500 WOG 319 (1 1/4″~2″) 1000 WOG	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
	114		8.00	4	-
	112		9.00	4	-
	200		14.00	2	-
	212		29.00	2	-

SOCKETWELD

REGULAR PORT • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
317S-LOH (1/4″~1″) 1500 WOG 317S (1 1/4″~2″) 1000 WOG	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
	114		8.00	4	-
	112		9.00	4	-
	200		14.00	2	-
	212		29.00	2	-

SOCKETWELD

REGULAR PORT • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
319S-LOH (1/4″~1″) 1500 WOG 319S (1 1/4″~2″) 1000 WOG	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
	114		8.00	4	-
	112		9.00	4	-
	200		14.00	2	-
	212		29.00	2	-

BUTTWELD

REGULAR PORT • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
317B-LOH (1/4″~1″) 1500 WOG 317B (1 1/4″~2″) 1000 WOG	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
	114		8.00	4	-
	112		9.00	4	-
	200		14.00	2	-
	212		28.00	2	-

BUTTWELD

REGULAR PORT • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
319B-LOH (1/4″~1″) 1500 WOG 319B (1 1/4″~2″) 1000 WOG	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
	114		8.00	4	-
	112		9.00	4	-
	200		14.00	2	-
	212		28.00	2	-

*Spare set of body gaskets is provided on Socket Weld and Butt Weld End 3-piece valves as standard.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CARBON STEEL BALL VALVES

*THREE-PIECE BODY**

THREADED

FULL PORT • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 317F-LOH (1/4″~1″) 1500 WOG 317F (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.25	4	-
	114		9.00	4	-
	112		15.00	2	-
	200		29.00	2	-

THREADED

FULL PORT • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 319F-LOH (1/4″~1″) 1500 WOG 319F (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.25	4	-
	114		9.00	4	-
	112		15.00	2	-
	200		29.00	2	-

SOCKETWELD

FULL PORT • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 317FS-LOH (1/4″~1″) 1500 WOG 317FS (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.33	3	-
	114		9.00	4	-
	112		15.00	2	-
	200		29.00	2	-

SOCKETWELD

FULL PORT • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 319FS-LOH (1/4″~1″) 1500 WOG 319FS (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.33	3	-
	114		9.00	4	-
	112		15.00	2	-
	200		29.00	2	-

BUTTWELD

FULL PORT • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 317FB-LOH (1/4″~1″) 1500 WOG 317FB (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.00	3	-
	114		9.00	4	-
	112		14.00	2	-
	200		28.00	2	-

BUTTWELD

FULL PORT • FIRE TESTED API 607 • NACE

ASTM A216 Gr. WCB • MOUNTING PAD • 316 SS TRIM L. OVAL HANDLE (1/4-1″) /L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 319FB-LOH (1/4″~1″) 1500 WOG 319FB (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.00	3	-
	114		9.00	4	-
	112		14.00	2	-
	200		28.00	2	-

*Spare set of body gaskets is provided on Socket Weld and Butt Weld End 3-piece valves as standard.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

STAINLESS STEEL BALL VALVES

ONE-PIECE BODY

ASTM A351 Gr. CF8M • REDUCED PORT • 316 SS TRIM
SS LEVER HANDLE • 600 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
52 IPS	014	See Current BV Sheet	0.18	20	120
	038		0.27	20	120
	012		0.43	20	120
	034		0.64	16	96
	100		1.00	9	54
	114		1.63	8	32
	112		1.96	6	24
	200		3.25	4	16

FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • REDUCED PORT • MOUNTING PAD*
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 129-LOH (1/4″~1″) 2000 WOG / 129 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.35	8	24
	038		0.37	8	24
	012		0.62	8	24
	034		0.86	8	24
	100		1.21	8	24
	114		1.92	30	-
	112		2.84	18	-
	200		4.26	10	-

*NOTE: Exception - 1/4″ & 3/8″

TWO-PIECE BODY

ASTM A351 Gr. CF8M • REGULAR PORT • MOUNTING PAD
LOCKING LEVER HANDLE

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 39 (1/4″~1″) 2000 WOG / 39 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.61	10	80
	038		0.58	10	80
	012		0.67	10	60
	034		1.25	8	48
	100		1.69	8	32
	114		2.56	4	16
	112		3.75	2	12
	200		6.67	2	6

ASTM A351 Gr. CF8M • FULL PORT • 316 SS TRIM
SS LEVER HANDLE • 800 WOG

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
53F IPS	014	See Current BV Sheet	-	-	-
	038		-	-	-
	012		0.88	8	-
	034		1.38	8	-
	100		2.00	6	-
	114		2.67	6	-
	112		4.50	2	-
	200		7.50	2	-

REDUCED PORT • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4″-1″) / L. LEVER HANDLE (1 1/4″-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 227-LOH (1/4″~1″) 2000 WOG / 227 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.71	8	24
	038		0.71	8	24
	012		0.89	6	18
	034		1.22	6	18
	100		2.08	4	12
	114		2.20	30	-
	112		3.63	16	-
	200		5.67	12	-

REGULAR PORT • FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4″-1″) / L. LEVER HANDLE (1 1/4″-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 229-LOH (1/4″~1″) 2000 WOG / 229 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.71	8	24
	038		0.71	8	24
	012		0.89	6	18
	034		1.22	6	18
	100		2.08	4	12
	114		2.20	30	-
	112		3.63	16	-
	200		5.67	12	-

REGULAR PORT • SEAL WELD • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4″-1″) / L. LEVER HANDLE (1 1/4″-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 247-LOH (1/4″~1″) 2000 WOG / 247 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.71	8	24
	038		0.71	8	24
	012		0.89	6	18
	034		1.22	6	18
	100		2.08	4	12
	114		2.20	30	-
	112		3.63	16	-
	200		5.67	12	-

REGULAR PORT • SEAL WELD • FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4″-1″) / L. LEVER HANDLE (1 1/4″-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
IPS 249-LOH (1/4″~1″) 2000 WOG / 249 (1 1/4″~2″) 1500 WOG	014	See Current BV Sheet	0.71	8	24
	038		0.71	8	24
	012		0.89	6	18
	034		1.22	6	18
	100		2.08	4	12
	114		2.20	30	-
	112		3.63	16	-
	200		5.67	12	-

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

STAINLESS STEEL BALL VALVES

*THREE-PIECE BODY**

THREADED

REGULAR PORT • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
327-LOH (1/4″~1″) 1500 WOG	114		8.00	4	-
	112		9.00	4	-
327 (1 1/4″~2″) 1000 WOG	200		14.00	2	-
	212		29.00	2	-

THREADED

REGULAR PORT • FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
329-LOH (1/4″~1″) 1500 WOG	114		8.00	4	-
	112		9.00	4	-
329 (1 1/4″~2″) 1000 WOG	200		14.00	2	-
	212		29.00	2	-

SOCKETWELD

REGULAR PORT • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
327S-LOH (1/4″~1″) 1500 WOG	114		8.00	4	-
	112		9.00	4	-
327S (1 1/4″~2″) 1000 WOG	200		14.00	2	-
	212		29.00	2	-

SOCKETWELD

REGULAR PORT • FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
329S-LOH (1/4″~1″) 1500 WOG	114		8.00	4	-
	112		9.00	4	-
329S (1 1/4″~2″) 1000 WOG	200		14.00	2	-
	212		29.00	2	-

BUTTWELD

REGULAR PORT • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
327B-LOH (1/4″~1″) 1500 WOG	114		7.50	6	-
	112		9.00	4	-
327B (1 1/4″~2″) 1000 WOG	200		14.00	2	-
	212		28.00	2	-

BUTTWELD

REGULAR PORT • FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD
L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)

CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
	014	SEE FULL PORT FOR THESE SIZES			
	038				
	012	See Current BV Sheet	2.00	10	-
	034		3.00	10	-
	100		5.00	6	-
329B-LOH (1/4″~1″) 1500 WOG	114		7.50	6	-
	112		9.00	4	-
329B (1 1/4″~2″) 1000 WOG	200		14.00	2	-
	212		28.00	2	-

*Spare set of body gaskets is provided on Socket Weld and Butt Weld End 3-piece valves as standard.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

STAINLESS STEEL BALL VALVES

*THREE-PIECE BODY**

THREADED

FULL PORT • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 327F-LOH (1/4″~1″) 1500 WOG 327F (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.25	4	-
	114		9.00	4	-
	112		15.00	2	-
	200		28.00	2	-

THREADED

FULL PORT • FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 329F-LOH (1/4″~1″) 1500 WOG 329F (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.25	4	-
	114		9.00	4	-
	112		15.00	2	-
	200		28.00	2	-

SOCKETWELD

FULL PORT • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 327FS-LOH (1/4″~1″) 1500 WOG 327FS (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.25	3	-
	114		9.75	4	-
	112		15.00	2	-
	200		29.00	2	-

SOCKETWELD

FULL PORT • FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 329FS-LOH (1/4″~1″) 1500 WOG 329FS (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		3.00	10	-
	034		5.00	6	-
	100		8.25	3	-
	114		9.75	4	-
	112		15.00	2	-
	200		29.00	2	-

BUTTWELD

FULL PORT • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 327FB-LOH (1/4″~1″) 1500 WOG 327FB (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		2.00	10	-
	034		3.00	10	-
	100		8.00	3	-
	114		9.00	4	-
	112		14.00	2	-
	200		28.00	2	-

BUTTWELD

FULL PORT • FIRE TESTED API 607 • NACE

ASTM A351 Gr. CF8M • MOUNTING PAD L. OVAL HANDLE (1/4-1″) / L. LEVER HANDLE (1 1/4-2″)					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING BOX	PACKAGING CTN
 329FB-LOH (1/4″~1″) 1500 WOG 329FB (1 1/4″~2″) 1000 WOG	014	See Current BV Sheet	2.00	10	-
	038		2.00	10	-
	012		2.00	10	-
	034		3.00	10	-
	100		8.00	3	-
	114		9.00	4	-
	112		14.00	2	-
	200		28.00	2	-

*Spare set of body gaskets is provided on Socket Weld and Butt Weld End 3-piece valves as standard.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OPTIONS & ACCESSORIES FOR BALL VALVES

58 & 59 Series

OPTION	CODE NO.	SIZES	SPECIFY	LIST PRICE INSTALLED
Extension Stem	58/59	1/4" - 3/4" 1" - 1¼" 1½" - 2" 2½" - 4"	EL-600 EL-601 EL-602 EL-604	$ 20.95 25.10 30.30 84.00
Memory Stop Plate	58/59	1/4" - 3/4" 1" - 1¼" 1½" - 2"	MS-600 MS-601 MS-602	5.80 6.15 6.65
Lever Handle	58/59	1/4" - 3/8" 1/2" - 3/4" 1" - 1¼" 1½" - 2" 2½" 3" - 4"	LH(Code #)	9.10 11.70 13.10 14.60 23.15 90.55
Stainless Lever & Nut (304 SS)	58/59	1/4" - 3/4" 1" - 1¼" 1½" - 2"	SSL-600 SSL-601 SSL-602	8.90 12.35 15.80
Oval Handle	58/59	1/4" - 3/4" 1" - 1¼" 1½" - 2"	OH-600 OH-601 OH-602	23.15 31.20 33.60
Wing Handle	58/59	1/4" - 3/4" 1" - 1¼" 1½" - 2"	WH-600 WH-601 WH-602	10.15 15.85 24.60

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OPTIONS & ACCESSORIES FOR BALL VALVES

OPTION	VALVE SERIES CODE NO.	SIZES	SPECIFY	LIST PRICE INSTALLED
Insulated Stem Extension	68/69 62	1/4" - 1/2" 3/4" 1" - 1¼" 1½" - 2"	ISE-1 ISE-2 ISE-3 ISE-4	$ 37.10 37.10 41.30 75.25
Memory Stop	68/69 62	1/4" - 3/4" 1" - 1¼" 1½" - 2"	MS-11 MS-12 MS-3	7.60 9.70 10.65
Locking Levers (Stainless Steel)	68/69 62	1/4" - 3/8" 1/2" 3/4" 1" - 1¼" 1½" - 2"	LL-1 LL-2 LL-3 LL-4 LL-5	18.05 18.05 20.15 21.25 22.35
Lever Handles	All	1/4" - 3/8" 1/2" - 3/4" 1" - 1¼" 1½" - 2" 2½" 3" 4"	LH(Fig. No.)	9.10 11.70 13.10 14.60 23.15 90.55 90.55
Oval Handle 1/4" - 1/2"	39/49M 53F	1/4" - 1/2" 3/4" - 1" 1¼" - 1½" 2"	OH-2 OH-3 OH-4 OH-5	23.15 31.85 33.00 47.45
	54	1/2" - 3/4" 1" - 1½" 2	OH-2 OH-3 OH-4	23.15 31.85 33.00
	68/69 62	3/4" 1" - 1¼" 1½" - 2"	OH-1 OH-2 OH-3 OH-4	22.45 23.15 31.85 33.00
Locking Oval (Stainless Steel)	68/69 62	1/4" - 1/2" 3/4" 1" - 1¼" 1½" - 2"	OH-2L OH-3L OH-4L OH-5L	31.85 31.85 43.40 45.65
Wing Handle	68/69 62	1/4" - 1/2" 3/4" 1" - 1¼" 1½" - 2" 2½" 3"	WH-1 WH-2 WH-3 WH-4 WH-5 WH-6	10.55 10.55 16.55 25.60 98.60 111.25
Anti-Static Grounding Spring	All	1/4" - 3/4" 1" - 1¼" 1½" - 2"	GS-1 GS-2 GS-3	9.10 9.10 9.10

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CROSS REFERENCE CHART

BRONZE & BRASS

KITZ	APOLLO	MILWAUKEE	NIBCO	RED-WHITE	WATTS
51	9A-100/91-100	-	T-560-BR-Y	-	B-6100
54(P)	70-600	-	T585-70-W3	-	B-6780
58	70-100	BA-100	T-580 TFP600	-	FBV-4
58W	70-100-07	-	-	-	-
59	70-200	BA-150	S-580 SFP600	-	FBVS-4
59W	70-200-07	-	-	-	-
62	82-100	BA-300	T-590-Y/T-595-Y	5050	B-6800
62M	82-140	30BSOF	T595-Y-66	-	B-6800-SS
63M	82-240	30BS1F	S595-Y-66	-	B-6801-SS
68	77-100 80-100	BA-400 BA-425	T-580-70/T-585-70UL	5592	B-6000-UL
68AB	-	-	-	-	B-6004
68AD	95-100	-	-	5060	B-6300
68AM	-	-	-	-	-
68C	78-100	BA-100H	T585-70-HC	-	-
68LL	70-100-27	-	-	-	B-6400-LL
68M	70-140 80-140	BA-400S	T585-70-66	504SS	B-6080-SS
68O	70-800	-	MTT585-70	-	B-6002
68P	77-100	20BBOR	TM585-70	-	B-6400
68PM	77-140 71-140(-64)	20BSOR	TM585-70-66	-	B-6400-SS-04
68S	75-100-41(-27)	BA-100ELD	T585-70-SV	5042	B-6400-SE-LL
68U	70-300	-	T585-70-SU	-	B6010
69	70-200	BA-455/BA-485	S-585-70	5049F/5549	B-6001/B-6081
69AD	95-200	-	-	5063	B-6301
69C	78-200	-	S585-70-HC	-	-
69M	70-240	-	S585-70-66	-	B-6081-SS
69U	70-400	-	S585-70-SU	-	B-6011

IRON

KITZ	AMERICAN	MILWAUKEE	NIBCO	RED-WHITE	WATTS
90	3700	-	-	-	G4000
91	-	-	-	-	-

This comparison chart is provided for the convenience of our customers. Valves listed may not be identical in design, materials of construction or basic pressure rating. KITZ catalogs and those of other valve manufacturers should be consulted for complete details.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

CROSS REFERENCE CHART

CARBON & STAINLESS STEEL

THREADED, SOCKET WELD, BUTT WELD

KITZ	APOLLO	MILWAUKEE	NIBCO	WATTS	WORCESTER
39	76-100	20SSOR	T580-S6-66-LL	S-8000	-
49M	89-100	20CSOR	T580-CS-66-LL	C-7000	-
50	93-100	-	-	-	5846R
52	-	-	-	-	5866R
53F	-	-	-	-	-
119	92-100-24	-	T560-CS-66-FS-LL	C-7100	-
129	96-100-24	-	T560-S6-66-FS-LL	S-8100	-
217	89-100	20CSOR	T580-CS-66-LL	C-7000	-
219	89-100-24	-	T580-CS-66-FS-LL	C-7000-FS	-
227	76-100	20SSOR	T580-S6-66-LL	S-8000	-
229	76-100-24	-	T580-S6-66-FS-LL	S-8000-FS	-
237	-	22CSOR	-	C-7200	-
239	-	-	-	-	-
247	-	22SSOR	-	S-8200	-
249	-	-	-	-	-
317	83-340	-	TM590-CS-R-66-LL	C-7450	-
317B	-	-	BM590-CS-R-66-LL	-	-
317S	83-440	-	KM590-CS-R-66-LL	-	-
317F	83-540	-	-	C-7480	5946TT
317FB	-	-	-	-	-
317FS	83-640	-	-	-	-
319	83-340-29	35CSOR	TM590-CS-R-66-FS-LL	C-7450-607	-
319B	-	35CS2R	BM590-CS-R-66-FS-LL	-	-
319S	83-440-29	35CS1R	KM590-CS-R-66-FS-LL	-	-
319F	83-540-29	-	-	C-7480-607	AF5946TT
319FB	-	-	-	-	-
319FS	83-640-29	-	-	-	-
327	85-100	-	TM590-S6-R-66-LL	S-8450	-
327B	-	-	BM590-S6-R-66-LL	-	-
327S	85-200	-	KM590-S6-R-66-LL	-	-
327F	86-100	-	-	S-7480	5966TT
327FB	86-700	-	-	-	-
327FS	86-200	-	-	-	-
329	-	35SSOR	TM590-S6-R-66-FS-LL	S-8450-607	-
329B	-	35SS2R	BM590-S6-R-66-FS-LL	-	-
329S	-	35221R	KM590-S6-R-66-FS-LL	-	-
329F	86-500-29	-	-	S-7480-607	AF5966TG
329FB	-	-	-	-	-
329FS	86-600-29	-	-	-	-

This comparison chart is provided for the convenience of our customers. Valves listed may not be identical in design, materials of construction or basic pressure rating. KITZ catalogs and those of other valve manufacturers should be consulted for complete details.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

GENERAL TERMS AND CONDITIONS

ACCEPTANCE

All quotations are for acceptance within 30 days from date of quotation unless extended in writing. In the event a purchase order is placed after this time, the Seller's company reserves the right to requote prices of all valves offered. All orders and contracts are subject to credit approval and acceptance by KITZ.

FREIGHT

All materials will be shipped F.O.B. point of shipment – no freight allowance unless otherwise stated and agreed upon with the Buyer.

PRICES

There will be added to all prices quoted any sales, excise, or similar tax which Seller may be required to collect on or in connection with the sale. Seller reserves the right to cancel any order in the event that selling prices shall be established by Federal, State or other governmental regulation with respect to the products covered by the order which shall be lower than the prices specified in the order.

ESCALATION TERMS

Prices shown in this price schedule reflect the costs in effect at the time of publication. These prices will remain firm on all products with a quoted delivery of twenty six (26) weeks or less. On products with a quoted delivery of more than 26 weeks, the Seller has a right to price and invoice at the applicable price sheet in effect at the time of shipment. In no event will the invoiced price be less than price originally quoted.

DEFERRED SHIPMENTS

If for any reason the Buyer desires to delay shipments more than 30 days after manufacturing or to place a hold or to stop the order during the manufacturing cycle, the Seller's company reserves the right to consider the order cancelled and to invoke cancellation charges.

CREDIT TERMS

As quoted. Overdue balances will be subject to 1.5% service charge per month on such indebtedness.

DELIVERIES

Shipments made to the Buyer shall at all times be subject to the approval of Seller's Credit Department. All schedules of shipments are estimated as closely as possible and Seller will use its best effort to ship within the time schedule but does not guarantee to do so. Seller shall not be liable for any direct, indirect, or consequential damage or loss caused by delay in delivery, regardless of the cause of delay. Items offered from stock are subject to prior sale.

RETURNS

No returns are allowed without prior arrangements made with the Seller. Product considered for return must be in new, resalable condition and of current design.

WARRANTY

Seller will replace without charge or refund the purchase price of products manufactured by Seller which prove to be defective in material or workmanship, provided in each case that the product is properly installed and is used in the service for which Seller recommends it and that written claim, specifying the alleged defect, is presented to the Seller within one year from the date of shipment. For Copper Alloy and Iron valves sold and installed in the U.S. the warranty* is five years. Seller shall in no event be responsible for claims of A) labor, expenses, or other damages occasioned by defective parts or products or for B) consequential or secondary damages. **The Warranty stated in this paragraph is in lieu of all other warranties, either expressed or implied. With respect to warranties, this paragraph states Buyer's exclusive remedy and Seller's exclusive liability.**

DESIGN

Because of a policy of continuous product improvement, Seller reserves the right to change design, materials or specifications without notice. There will be a charge for modifying an order after it has been entered when such change or modification results in additional engineering or clerical work for either KITZ or its suppliers.

NOTE

KITZ reserves the right to correct any obvious clerical errors in quotations, invoices and other contracts.

*K-Press warranty is limited to two years.

KITZ®

KITZ CORPORATION OF AMERICA

10750 CORPORATE DRIVE • STAFFORD, TEXAS 77477 U.S.A.

TEL: (281) 491-7333 • FAX: (281) 491-9402 • TOLL FREE: 1-800-772-0073 • www.kitzus-kca.com

Copyright © 2011, Kitz Corporation of America

DESIGN STANDARDS

Manufacturers Standardization Society (MSS) of the Valve and Fitting Industry, Inc.

SP-25 Standard Marketing System for Valves, Fitting, Flanges and Unions
SP-110 Ball Valves Threaded, Socket-Welding, Solder Joint, Grooved and Flare Ends

American Petroleum Institute (API)

3rd PARTY CERTIFICATIONS

CSA INTERNATIONAL

CGA 9.1b-2006/ANSI Z21.15b-2006: Manually Operated Gas Valves For Appliances, Appliance Connector Valves and Hose End Valves
CGA requirement CR91-002: Manually Operated Gas Valves For Use On Piping
CAN/CGA-3.16-M88: Lever Operated Non-Lubricated Gas Shut-Off Valves
ASME B16.33-2002(R2007): Manually Operated Metallic Gas Valve For use In Gas Piping Systems up 125 psig (1/2″-2″)
ASME B16.44-2002(R2007): Manually Operated Metallic Gas Valve For use In Aboveground Gas Piping Systems up 5 psig

UNDERWRITERS LABORATORIES

ANSI/UL125: Valves for Anhydrous Ammonia and LP-Gas (other than Safety Relief)
YSDT - LP Gas Shut-Off Valves
UL Subject 258: Outline of Investigation for Shut-off Valves for Trim and Drain Purposes
VQGU - Valves, Trim and Drain, 175 psig
UL842: Valves for Flammable Fluids
YRBX - Flammable Liquid Shut-Off Valves
YRPV - Gas Shut-Off Valves
MHKZ - Manual Valves, LP at 150 degrees F ambient.
UL1769: Cylinder Valves
YQNZ - Compressed Gas Shut-Off Valves

FM APPROVALS

Classification No. 1140 - 175 psig (1205 kPa) rated working pressure

NSF/ANSI 61 - Drinking Water System Components-Health Effects

NSF/ANSI 372 - Drinking Water System Components - Lead Content

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Copyright © 2011, Kitz Corporation of America