




Lead Free† Copper Alloy Valves

BALL VALVES


2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
858* IPS 	014	\$ 14.30	0.25	20	120
	038	16.05	0.25	20	120
	012	19.10	0.30	12	96
	034	28.05	0.75	10	60
	100	45.10	1.67	6	36
	114	58.75	2.83	6	24
	112	95.75	3.12	4	16
	200	156.35	4.44	4	16
	212	343.00	10.50	-	2
	300	525.00	15.00	-	2
400	930.00	22.15	-	2	


2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
859* SOLDER 	014	\$ -	-	-	-
	038	16.05	0.25	20	120
	012	19.10	0.30	12	96
	034	28.05	0.75	10	60
	100	45.10	1.67	6	36
	114	58.75	2.83	6	24
	112	95.75	3.12	4	16
	200	156.35	4.44	4	16
	212	343.00	10.50	-	2
	300	525.00	15.00	-	2


WING HANDLE

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
858W* IPS 	014	\$ 16.15	0.25	20	120
	038	15.65	0.25	20	120
	012	21.35	0.30	12	96
	034	35.15	0.75	10	60
	100	55.35	1.20	6	36
	114	75.40	1.75	6	24
	112	113.85	2.80	4	16
	200	181.75	4.75	4	16

WING HANDLE

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
859W* SOLDER 	014	\$ -	-	-	-
	038	15.65	0.25	20	120
	012	21.35	0.30	12	96
	034	35.15	0.75	10	60
	100	55.35	1.20	6	36
	114	75.40	1.75	6	24
	112	113.85	2.80	4	16
	200	181.75	4.75	4	16

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
868 IPS 	014	\$ 21.05	0.40	20	120
	038	27.85	0.40	20	120
	012	28.80	0.54	12	96
	034	43.45	0.83	10	60
	100	66.60	1.42	6	36
	114	90.80	2.08	6	24
	112	136.85	3.38	4	16
	200	202.00	4.50	2	8

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
869 SOLDER 	014	\$ -	-	-	-
	038	27.85	0.40	20	120
	012	28.80	0.54	12	96
	034	43.45	0.83	10	60
	100	66.60	1.42	6	36
	114	90.80	2.08	6	24
	112	136.85	3.38	4	16
	200	202.00	4.50	4	16

* Maintenance Free Double O-Ring Stem Seal Design

‡ 1" ≤ 304 SS Ball





†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.


CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Lead Free† Copper Alloy


BALL VALVES


2-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
868M IPS 	014	\$ 55.85	0.40	20	120
	038	53.85	0.40	20	120
	012	56.15	0.54	12	96
	034	69.75	0.83	10	60
	100	99.20	1.42	6	36
	114	170.25	2.08	6	24
	112	234.00	3.38	4	16
	200	302.00	4.50	2	8

2-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
869M SOLDER 	014	\$ -	-	-	-
	038	53.85	0.40	20	120
	012	56.15	0.54	12	96
	034	69.75	0.83	10	60
	100	99.20	1.42	6	36
	114	170.25	2.08	6	24
	112	234.00	3.38	4	16
	200	302.00	4.50	4	16

3-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
863 SOLDER 	012	\$ 114.25	1.00	6	36
	034	140.60	1.00	4	24
	100	213.00	2.00	4	16
	114	314.00	4.00	4	8
	112	510.00	7.00	2	6
	200	885.00	11.00	4	8

‡ 1" ≤ 304 SS Ball

3-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
862M IPS 	012	\$ 134.30	1.00	6	36
	034	163.75	1.00	6	24
	100	236.00	2.00	4	16
	114	388.00	4.00	4	8
	112	615.00	7.00	2	6
	200	1,120.00	11.00	2	4

3-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
863M SOLDER 	012	\$ 134.30	1.00	6	36
	034	163.75	1.00	6	24
	100	236.00	2.00	4	16
	114	388.00	4.00	4	8
	112	615.00	7.00	2	6
	200	1,120.00	11.00	2	4




Certified to NSF/ANSI 61-G & 372

†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Lead Free† Copper Alloy BALL VALVES


K-PRESS


FULL PORT • Cr BALL 200 psi K-Press Ends					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 57.10	0.52	12	-
	034	78.85	0.86	12	-
	100	112.70	1.28	6	-
	114	177.55	2.11	6	-
	112	239.00	3.60	4	-
	200	355.00	4.80	4	-
	212	845.00	12.08	1	-
	300	1,220.00	16.90	1	-
	400	1,690.00	25.86	1	-

*XLC connections are standard for 2½" ~ 4"


UL Certified to NSF/ANSI 61-G and 372


3-WAY

2-Pc Body • L-Port • REGULAR PORT PLATED BALL • 400 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 50.20	0.98	10	40
	IPS	73.70	1.31	8	32
	100	110.85	2.00	8	32
	114	164.40	2.80	6	12
	112	240.00	3.90	4	8
	200	394.00	6.00	2	4

2-Pc Body • L-Port • REGULAR PORT PLATED BALL • 400 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 50.20	0.98	10	40
	SOLDER	73.70	1.31	8	32
	100	110.85	2.00	8	32
	114	164.40	2.80	6	12
	112	240.00	3.90	4	8
	200	394.00	6.00	2	4


CAP & CHAIN**


2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 51.10	0.54	12	96
	IPS x HOSE	72.00	0.83	10	60

2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 51.10	0.54	12	96
	SOLDER x HOSE	72.00	0.83	10	60

** Cap is not intended to retain pressure.

DRAINABLE


2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 34.05	0.54	12	96
	IPS	51.95	0.83	10	60
	100	73.55	1.26	6	36


2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 34.05	0.42	12	96
	SOLDER	51.95	0.75	10	60
	100	73.55	1.30	6	36




†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act that went into effect January 2014.


GATE VALVES

CLASS 125 • SCREWED BONNET NON-RISING STEM • SOLID WEDGE DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 48.45	0.57	10	60
	034	63.20	0.81	5	50
	100	104.40	1.19	6	36
	114	132.80	1.72	6	24
	112	160.15	2.10	5	20
	200	189.65	3.50	3	12

CLASS 125 • SCREW-OVER BONNET NON-RISING STEM • SOLID WEDGE DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 55.45	0.71	8	48
	034	72.30	0.90	5	30
	100	119.70	1.43	5	30
	114	152.05	1.93	5	20
	112	183.10	2.63	4	16
	200	217.00	4.19	2	8

GLOBE VALVES

CLASS 125 • SCREW-IN BONNET RISING STEM • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 117.10	0.71	10	60
	034	145.15	1.37	7	28
	100	205.00	1.80	6	24
	114	275.00	2.63	5	20
	112	338.00	3.88	4	16
	200	520.00	6.63	2	8


CLASS 125 • SCREW-IN BONNET RISING STEM • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 117.10	0.66	10	60
	034	145.15	1.23	7	28
	100	205.00	1.69	6	24
	114	275.00	2.51	5	20
	112	338.00	3.66	4	16
	200	520.00	6.40	2	8





†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act that went into effect January 2014.


CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov


CHECK VALVES


CLASS 125 • T-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 804 IPS	012	\$ 46.25	0.68	12	72
	034	67.40	1.00	10	40
	100	104.60	1.54	8	32
	114	143.55	2.33	4	16
	112	195.35	3.00	3	12
	200	334.00	4.92	2	8


CLASS 125 • T-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 814 SOLDER	012	\$ 46.25	0.68	12	-
	034	67.40	1.00	10	-
	100	104.60	1.54	8	-
	114	143.55	2.33	4	-
	112	195.35	3.00	3	-
	200	334.00	4.92	2	-


CLASS 125 • Y-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 822 IPS	012	\$ 66.30	0.33	12	96
	034	88.00	0.90	10	60
	100	111.40	1.00	8	48
	114	178.30	2.04	4	24
	112	205.00	2.61	3	18
	200	302.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 823 SOLDER	012	\$ 66.30	0.33	12	96
	034	88.00	0.90	10	60
	100	111.40	1.00	8	48
	114	178.30	2.04	4	24
	112	205.00	2.61	3	18
	200	302.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE PTFE DISC • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 822T IPS	012	\$ 54.70	0.33	12	96
	034	86.00	0.90	10	60
	100	123.20	1.00	8	48
	114	168.05	2.04	4	24
	112	262.00	2.61	3	18
	200	374.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE PTFE DISC • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 823T SOLDER	012	\$ 54.70	0.33	12	96
	034	86.00	0.90	10	60
	100	123.20	1.00	8	48
	114	168.05	2.04	4	24
	112	262.00	2.61	3	18
	200	374.00	5.92	3	12

LIFT TYPE • 250 CWP SPRING LOADED • FPM DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 836 IPS	012	\$ 40.15	0.38	20	160
	034	48.45	0.56	12	96
	100	66.45	0.86	9	72
	114	83.25	1.25	6	48
	112	109.10	1.78	6	36
	200	166.20	2.88	3	24

LIFT TYPE • 250 CWP SPRING LOADED • FPM DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
 826 SOLDER	012	\$ 40.15	0.38	20	-
	034	48.45	0.56	12	-
	100	66.45	0.86	9	-
	114	83.25	1.25	6	-
	112	109.10	1.78	6	-
	200	166.20	2.88	3	-



†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OPTIONS & ACCESSORIES* FOR BALL VALVES

858 & 859 Series

OPTION	CODE NO.	SIZE	SPECIFY	LIST PRICE INSTALLED
Extension Stem	858/859	1/4" - 3/4"	EL-600	\$ 27.75
		1" - 1 1/4"	EL-601	33.25
		1 1/2" - 2"	EL-602	40.10
		2 1/2" - 4"	EL-604	111.25
Memory Stop Plate	858/859	1/4" - 3/4"	MS-600	7.70
		1" - 1 1/4"	MS-601	8.15
		1 1/2" - 2"	MS-602	8.80
Lever Handle	858/859	1/4" - 3/8"	LH(Code No.)	12.00
		1/2" - 3/4"		15.55
		1" - 1 1/4"		17.30
		1 1/2" - 2"		19.25
		2 1/2"		30.65
		3" - 4"		119.85
Stainless Lever & Nut (304 SS)	858/859	1/4" - 3/4"	SSL-600	11.80
		1" - 1 1/4"	SSL-601	16.35
		1 1/2" - 2"	SSL-602	20.90
Oval Handle	858/859	1/4" - 3/4"	OH-600	30.65
		1" - 1 1/4"	OH-601	41.25
		1 1/2" - 2"	OH-602	44.45
Wing Handle	858/859	1/4" - 3/4"	WH-600	13.45
		1" - 1 1/4"	WH-601	20.95
		1 1/2" - 2"	WH-602	32.60

*Accessories are interchangeable with their Leaded counterparts which have Yellow plastic covers.

OPTIONS & ACCESSORIES* FOR BALL VALVES

868 / 869 Series & Others

OPTION	CODE NO.	SIZE	SPECIFY	LIST PRICE INSTALLED
Memory Stop	868 / 869 862 / 863	1/4" - 3/4"	MS-11	10.10
		1" - 1 1/4"	MS-12	12.85
		1 1/2" - 2"	MS-3	14.10
Locking Levers (Stainless Steel)	868 / 869 862 / 863	1/4" - 3/8"	LL-1	23.90
		1/2"	LL-2	23.90
		3/4"	LL-3	26.70
		1" - 1 1/4"	LL-4	28.15
		1 1/2" - 2"	LL-5	29.60
Lever Handles	All	1/4" - 3/8"	LH(Code#)	12.00
		1/2" - 3/4"		15.55
		1" - 1 1/4"		17.30
		1 1/2" - 2"		19.25
		2 1/2"		30.65
		3" 4"		119.85 119.85
Oval Handles	854 / 855	1/2" - 3/4"	OH-2	30.65
		1" - 1 1/2"	OH-3	42.15
		2"	OH-4	43.65
	868 / 869 862 / 863	1/4" - 1/2"	OH-1	29.75
3/4"		OH-2	30.65	
1" - 1 1/4"	OH-3	42.15		
	1 1/2" - 2"	OH-4	43.65	
Locking Oval (Stainless Steel)	868 / 869 862 / 863	1/4" - 1/2"	OH-2L	42.15
		3/4"	OH-3L	42.15
		1" - 1 1/4"	OH-4L	57.45
		1 1/2" - 2"	OH-5L	60.35
Wing Handle	868 / 869 862 / 863	1/4" - 1/2"	WH-1	13.95
		3/4"	WH-2	13.95
		1" - 1 1/4"	WH-3	21.95
		1 1/2" - 2"	WH-4	33.90
		2 1/2"	WH-5	130.55
		3"	WH-6	147.25
Anti-Static Grounding Spring	All	1/4" - 3/4"	GS-1	12.00
		1" - 1 1/4"	GS-2	12.00
		1 1/2" - 2"	GS-3	12.00

*Accessories are interchangeable with their Leaded counterparts which have Orange plastic covers.



GENERAL TERMS AND CONDITIONS

ACCEPTANCE. All quotations are for acceptance within 30 days from date of quotation unless extended in writing. In the event a purchase order is placed after this time, the Seller's company reserves the right to requote prices of all valves offered. All orders and contracts are subject to credit approval and acceptance by KITZ.

FREIGHT. All materials will be shipped F.O.B. point of shipment – no freight allowance unless otherwise stated and agreed upon with the Buyer.

PRICES. There will be added to all prices quoted any sales, excise, or similar tax which Seller may be required to collect on or in connection with the sale. Seller reserves the right to cancel any order in the event that selling prices shall be established by Federal, State or other governmental regulation with respect to the products covered by the order which shall be lower than the prices specified in the order.

ESCALATION TERMS. Prices shown in this price schedule reflect the costs in effect at the time of publication. These prices will remain firm on all products with a quoted delivery of twenty six (26) weeks or less. On products with a quoted delivery of more than 26 weeks, the Seller has a right to price and invoice at the applicable price sheet in effect at the time of shipment. In no event will the invoiced price be less than price originally quoted.

DEFERRED SHIPMENTS. If for any reason the Buyer desires to delay shipments more than 30 days after manufacturing or to place a hold or to stop the order during the manufacturing cycle, the Seller's company reserves the right to consider the order cancelled and to invoke cancellation charges.

CREDIT TERMS. As quoted. Overdue balances will be subject to 1.5% service charge per month on such indebtedness.

DELIVERIES. Shipments made to the Buyer shall at all times be subject to the approval of Seller's Credit Department. All schedules of shipments are estimated as closely as possible and Seller will use its best effort to ship within the time schedule but does not guarantee to do so. Seller shall not be liable for any direct, indirect, or consequential damage or loss caused by delay in delivery, regardless of the cause of delay. Items offered from stock are subject to prior sale.

RETURNS. No returns are allowed without prior arrangements made with the Seller. Product considered for return must be in new, resalable condition and of current design.

WARRANTY. Seller will replace without charge or refund the purchase price of products manufactured by Seller which prove to be defective in material or workmanship, provided in each case that the product is properly installed and is used in the service for which Seller recommends it and that written claim, specifying the alleged defect, is presented to the Seller within one year from the date of shipment. For Copper Alloy and Iron valves sold and installed in the U.S. the warranty is five years. Seller shall in no event be responsible for claims of A) labor, expenses, or other damages occasioned by defective parts or products or for B) consequential or secondary damages. The Warranty stated in this paragraph is in lieu of all other warranties, either expressed or implied. With respect to warranties, this paragraph states Buyer's exclusive remedy and Seller's exclusive liability.

DESIGN. Because of a policy of continuous product improvement, Seller reserves the right to change design, materials or specifications without notice. There will be a charge for modifying an order after it has been entered when such change or modification results in additional engineering or clerical work for either KITZ or its suppliers.

NOTE. KITZ reserves the right to correct any obvious clerical errors in quotations, invoices and other contracts.

*K-Press warranty is limited to two years.

DESIGN STANDARDS

Manufacturers Standardization Society (MSS) of the Valve and Fitting Industry, Inc.

SP-25 - Standard Marketing System for Valves, Fitting, Flanges and Unions

SP-110 - Ball Valves Threaded, Socket-Welding, Solder Joint, Grooved and Flare Ends

NSF/ANSI 61 - Drinking Water System Components-Health Effects

NSF/ANSI 372 - Drinking Water System Components - Lead Content



KITZ[®]

KITZ CORPORATION OF AMERICA

10750 Corporate Drive • Stafford, Texas 77477 U.S.A.

Tel: (281) 491-7333 • Fax: (281) 491-9402 • Toll Free: 1-800-772-0073 • www.kitzus-kca.com

Copyright © 2024, Kitz Corporation of America