

Lead Free† Copper Alloy Valves

BALL VALVES

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	014	\$ 16.40	0.25	20	120
	038	18.40	0.25	20	120
	012	21.90	0.30	12	96
	034	32.25	0.75	10	60
	100	51.85	1.67	6	36
	114	67.50	2.83	6	24
	112	110.00	3.12	4	16
	200	179.65	4.44	4	16
	212	394.00	10.50	-	2
	300	605.00	15.00	-	2
	400	1,070.00	22.15	-	2

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	014	\$ -	-	-	-
	038	18.40	0.25	20	120
	012	21.90	0.30	12	96
	034	32.25	0.75	10	60
	100	51.85	1.67	6	36
	114	67.50	2.83	6	24
	112	110.00	3.12	4	16
	200	179.65	4.44	4	16
	212	394.00	10.50	-	2
	300	605.00	15.00	-	2

WING HANDLE

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	014	\$ 18.60	0.25	20	120
	038	18.00	0.25	20	120
	012	24.50	0.30	12	96
	034	40.40	0.75	10	60
	100	63.60	1.20	6	36
	114	86.60	1.75	6	24
	112	130.80	2.80	4	16
	200	209.00	4.75	4	16

WING HANDLE

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	014	\$ -	-	-	-
	038	18.00	0.25	20	120
	012	24.50	0.30	12	96
	034	40.40	0.75	10	60
	100	63.60	1.20	6	36
	114	86.60	1.75	6	24
	112	130.80	2.80	4	16
	200	209.00	4.75	4	16

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	014	\$ 24.20	0.40	20	120
	038	32.00	0.40	20	120
	012	33.10	0.54	12	96
	034	49.90	0.83	10	60
	100	76.50	1.42	6	36
	114	104.35	2.08	6	24
	112	157.25	3.38	4	16
	200	232.00	4.50	2	8

2-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	014	\$ -	-	-	-
	038	32.00	0.40	20	120
	012	33.10	0.54	12	96
	034	49.90	0.83	10	60
	100	76.50	1.42	6	36
	114	104.35	2.08	6	24
	112	157.25	3.38	4	16
	200	232.00	4.50	4	16

* Maintenance Free Double O-Ring Stem Seal Design

‡ 1" ≤ 304 SS Ball



†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Lead Free† Copper Alloy

BALL VALVES

2-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
868M IPS 	014	\$ 64.15	0.40	20	120
	038	61.90	0.40	20	120
	012	64.55	0.54	12	96
	034	80.15	0.83	10	60
	100	114.00	1.42	6	36
	114	195.60	2.08	6	24
	112	269.00	3.38	4	16
	200	347.00	4.50	2	8

2-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
869M SOLDER 	014	\$ -	-	-	-
	038	61.90	0.40	20	120
	012	64.55	0.54	12	96
	034	80.15	0.83	10	60
	100	114.00	1.42	6	36
	114	195.60	2.08	6	24
	112	269.00	3.38	4	16
	200	347.00	4.50	4	16

3-Pc BODY • FULL PORT • PLATED BALL‡ PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
863 SOLDER 	012	\$ 131.25	1.00	6	36
	034	161.50	1.00	4	24
	100	245.00	2.00	4	16
	114	361.00	4.00	4	8
	112	590.00	7.00	2	6
	200	1,020.00	11.00	4	8

‡ 1"≤ 304 SS Ball

3-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
862M IPS 	012	\$ 154.30	1.00	6	36
	034	188.15	1.00	6	24
	100	271.00	2.00	4	16
	114	446.00	4.00	4	8
	112	705.00	7.00	2	6
	200	1,290.00	11.00	2	4

3-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
863M SOLDER 	012	\$ 154.30	1.00	6	36
	034	188.15	1.00	6	24
	100	271.00	2.00	4	16
	114	446.00	4.00	4	8
	112	705.00	7.00	2	6
	200	1,290.00	11.00	2	4



†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Lead Free† Copper Alloy

BALL VALVES

K-PRESS

FULL PORT • Cr BALL 200 psi K-Press Ends					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 65.60	0.52	12	-
	034	90.60	0.86	12	-
	100	129.50	1.28	6	-
	114	204.00	2.11	6	-
	112	274.00	3.60	4	-
	200	408.00	4.80	4	-
	212	970.00	12.08	1	-
	300	1,400.00	16.90	1	-
	400	1,940.00	25.86	1	-

*XLC connections are standard for 2½" ~ 4"

UL Certified to NSF/ANSI 61-G and 372

3-WAY

2-Pc Body • L-Port • REGULAR PORT PLATED BALL • 400 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 57.65	0.98	10	40
	034	84.65	1.31	8	32
	100	127.40	2.00	8	32
	114	188.90	2.80	6	12
	112	275.00	3.90	4	8
	200	453.00	6.00	2	4

2-Pc Body • L-Port • REGULAR PORT PLATED BALL • 400 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 57.65	0.98	10	40
	034	84.65	1.31	8	32
	100	127.40	2.00	8	32
	114	188.90	2.80	6	12
	112	275.00	3.90	4	8
	200	453.00	6.00	2	4

CAP & CHAIN**

2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 58.70	0.54	12	96
	034	82.75	0.83	10	60

2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 58.70	0.54	12	96
	034	82.75	0.83	10	60

** Cap is not intended to retain pressure.

DRAINABLE

2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 39.10	0.54	12	96
	034	59.65	0.83	10	60
	100	84.50	1.26	6	36

2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 39.10	0.42	12	96
	034	59.65	0.75	10	60
	100	84.50	1.30	6	36



†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

GATE VALVES

CLASS 125 • SCREWED BONNET NON-RISING STEM • SOLID WEDGE DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 55.65	0.57	10	60
	034	72.65	0.81	5	50
	100	119.95	1.19	6	36
	114	152.60	1.72	6	24
	112	184.00	2.10	5	20
	200	218.00	3.50	3	12

CLASS 125 • SCREW-OVER BONNET NON-RISING STEM • SOLID WEDGE DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 63.70	0.71	8	48
	034	83.05	0.90	5	30
	100	137.55	1.43	5	30
	114	174.70	1.93	5	20
	112	210.00	2.63	4	16
	200	249.00	4.19	2	8

GLOBE VALVES

CLASS 125 • SCREW-IN BONNET RISING STEM • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 134.50	0.71	10	60
	034	166.75	1.37	7	28
	100	235.00	1.80	6	24
	114	316.00	2.63	5	20
	112	389.00	3.88	4	16
	200	600.00	6.63	2	8

CLASS 125 • SCREW-IN BONNET RISING STEM • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 134.50	0.66	10	60
	034	166.75	1.23	7	28
	100	235.00	1.69	6	24
	114	316.00	2.51	5	20
	112	389.00	3.66	4	16
	200	600.00	6.40	2	8



†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CHECK VALVES

CLASS 125 • T-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 53.15	0.68	12	72
	034	77.45	1.00	10	40
	100	120.20	1.54	8	32
	114	164.90	2.33	4	16
	112	225.00	3.00	3	12
	200	383.00	4.92	2	8

CLASS 125 • T-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 53.15	0.68	12	-
	034	77.45	1.00	10	-
	100	120.20	1.54	8	-
	114	164.90	2.33	4	-
	112	225.00	3.00	3	-
	200	383.00	4.92	2	-

CLASS 125 • Y-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 76.20	0.33	12	96
	034	101.10	0.90	10	60
	100	128.00	1.00	8	48
	114	205.00	2.04	4	24
	112	235.00	2.61	3	18
	200	347.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 76.20	0.33	12	96
	034	101.10	0.90	10	60
	100	128.00	1.00	8	48
	114	205.00	2.04	4	24
	112	235.00	2.61	3	18
	200	347.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE PTFE DISC • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 62.85	0.33	12	96
	034	98.80	0.90	10	60
	100	141.55	1.00	8	48
	114	193.10	2.04	4	24
	112	301.00	2.61	3	18
	200	430.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE PTFE DISC • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 62.85	0.33	12	96
	034	98.80	0.90	10	60
	100	141.55	1.00	8	48
	114	193.10	2.04	4	24
	112	301.00	2.61	3	18
	200	430.00	5.92	3	12

LIFT TYPE • 250 CWP SPRING LOADED • FPM DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 46.10	0.38	20	160
	034	55.65	0.56	12	96
	100	76.35	0.86	9	72
	114	95.65	1.25	6	48
	112	125.35	1.78	6	36
	200	190.95	2.88	3	24

LIFT TYPE • 250 CWP SPRING LOADED • FPM DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN.
	012	\$ 46.10	0.38	20	-
	034	55.65	0.56	12	-
	100	76.35	0.86	9	-
	114	95.65	1.25	6	-
	112	125.35	1.78	6	-
	200	190.95	2.88	3	-



†Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

OPTIONS & ACCESSORIES* FOR BALL VALVES

858 & 859 Series

OPTION	CODE NO.	SIZE	SPECIFY	LIST PRICE INSTALLED
Extension Stem	858/859	1/4" - 3/4"	EL-600	\$ 36.90
		1" - 1 1/4"	EL-601	44.20
		1 1/2" - 2"	EL-602	53.30
		2 1/2" - 4"	EL-604	147.95
Memory Stop Plate	858/859	1/4" - 3/4"	MS-600	10.25
		1" - 1 1/4"	MS-601	10.80
		1 1/2" - 2"	MS-602	11.70
Lever Handle	858/859	1/4" - 3/8"	LH(Code No.)	13.75
		1/2" - 3/4"		17.85
		1" - 1 1/4"		19.85
		1 1/2" - 2"		22.15
		2 1/2"		35.20
Stainless Lever & Nut (304 SS)	858/859	3" - 4"		137.70
		1/4" - 3/4"	SSL-600	15.70
		1" - 1 1/4"	SSL-601	21.75
Oval Handle	858/859	1 1/2" - 2"	SSL-602	27.80
		1/4" - 3/4"	OH-600	40.75
		1" - 1 1/4"	OH-601	54.90
Wing Handle	858/859	1 1/2" - 2"	OH-602	59.15
		1/4" - 3/4"	WH-600	15.45
		1" - 1 1/4"	WH-601	24.10
Insulated Stem Extension (ISEP)	858/859	1 1/2" - 2"	WH-602	37.50
		1/4" - 3/4"	ISEP-2	65.30
		1" - 1-1/4"	ISEP-5	72.75
		1-1/2" - 2"	ISEP-6	132.50

*Accessories are interchangeable with their Leaded counterparts which have Yellow plastic covers.

OPTIONS & ACCESSORIES* FOR BALL VALVES

868 / 869 Series & Others

OPTION	CODE NO.	SIZE	SPECIFY	LIST PRICE INSTALLED
Memory Stop	868 / 869 862 / 863	1/4" - 3/4"	MS-11	13.45
		1" - 1 1/4"	MS-12	17.05
		1 1/2" - 2"	MS-3	16.20
Locking Levers (Stainless Steel)	868 / 869 862 / 863	1/4" - 3/8"	LL-1	31.80
		1/2"	LL-2	31.80
		3/4"	LL-3	35.50
		1" - 1 1/4"	LL-4	37.45
		1 1/2" - 2"	LL-5	39.40
Lever Handles	All	1/4" - 3/8"	LH(Code#)	13.75
		1/2" - 3/4"		17.85
		1" - 1 1/4"		19.85
		1 1/2" - 2"		22.15
		2 1/2"		35.20
		3"		137.70
Oval Handles	854 / 855	1/2" - 3/4"	OH-2	40.75
		1" - 1 1/2"	OH-3	56.05
		2"	OH-4	58.05
	868 / 869 862 / 863	1/4" - 1/2"	OH-1	39.55
		3/4"	OH-2	40.75
		1" - 1 1/4"	OH-3	56.05
		1 1/2" - 2"	OH-4	58.05
Locking Oval (Stainless Steel)	868 / 869 862 / 863	1/4" - 1/2"	OH-2L	56.05
		3/4"	OH-3L	56.05
		1" - 1 1/4"	OH-4L	76.40
		1 1/2" - 2"	OH-5L	80.25
Wing Handle	868 / 869 862 / 863	1/4" - 1/2"	WH-1	16.05
		3/4"	WH-2	16.05
		1" - 1 1/4"	WH-3	25.20
		1 1/2" - 2"	WH-4	38.95
		2 1/2"	WH-5	150.00
		3"	WH-6	195.80
Anti-Static Grounding Spring	All	1/4" - 3/4"	GS-1	15.95
		1" - 1 1/4"	GS-2	15.95
		1 1/2" - 2"	GS-3	15.95
Insulated Stem Extension (ISEP)	868/869 862/863	1/4" - 1/2"	ISEP-1	65.30
		3/4"	ISEP-2	65.30
		1" - 1-1/4"	ISEP-3	72.75
		1 1/2" - 2"	ISEP-4	132.50
Insulated Stem Extension (ISEP)	801XL	1/2"	ISEP-7	72.75
		3/4" - 1"	ISEP-8	72.75
		1-1/4" 1 1/2"	ISEP-9	132.50
		2"	ISEP-10	132.50



GENERAL TERMS AND CONDITIONS

ACCEPTANCE. All quotations are for acceptance within 30 days from date of quotation unless extended in writing. In the event a purchase order is placed after this time, the Seller's company reserves the right to requote prices of all valves offered. All orders and contracts are subject to credit approval and acceptance by KITZ.

FREIGHT. All materials will be shipped F.O.B. point of shipment – no freight allowance unless otherwise stated and agreed upon with the Buyer.

PRICES. There will be added to all prices quoted any sales, excise, or similar tax which Seller may be required to collect on or in connection with the sale. Seller reserves the right to cancel any order in the event that selling prices shall be established by Federal, State or other governmental regulation with respect to the products covered by the order which shall be lower than the prices specified in the order.

ESCALATION TERMS. Prices shown in this price schedule reflect the costs in effect at the time of publication. These prices will remain firm on all products with a quoted delivery of twenty six (26) weeks or less. On products with a quoted delivery of more than 26 weeks, the Seller has a right to price and invoice at the applicable price sheet in effect at the time of shipment. In no event will the invoiced price be less than price originally quoted.

DEFERRED SHIPMENTS. If for any reason the Buyer desires to delay shipments more than 30 days after manufacturing or to place a hold or to stop the order during the manufacturing cycle, the Seller's company reserves the right to consider the order cancelled and to invoke cancellation charges.

CREDIT TERMS. As quoted. Overdue balances will be subject to 1.5% service charge per month on such indebtedness.

DELIVERIES. Shipments made to the Buyer shall at all times be subject to the approval of Seller's Credit Department. All schedules of shipments are estimated as closely as possible and Seller will use its best effort to ship within the time schedule but does not guarantee to do so. Seller shall not be liable for any direct, indirect, or consequential damage or loss caused by delay in delivery, regardless of the cause of delay. Items offered from stock are subject to prior sale.

RETURNS. No returns are allowed without prior arrangements made with the Seller. Product considered for return must be in new, resalable condition and of current design.

WARRANTY. Seller will replace without charge or refund the purchase price of products manufactured by Seller which prove to be defective in material or workmanship, provided in each case that the product is properly installed and is used in the service for which Seller recommends it and that written claim, specifying the alleged defect, is presented to the Seller within one year from the date of shipment. For Copper Alloy and Iron valves sold and installed in the U.S. the warranty is five years. Seller shall in no event be responsible for claims of A) labor, expenses, or other damages occasioned by defective parts or products or for B) consequential or secondary damages. The Warranty stated in this paragraph is in lieu of all other warranties, either expressed or implied. With respect to warranties, this paragraph states Buyer's exclusive remedy and Seller's exclusive liability.

DESIGN. Because of a policy of continuous product improvement, Seller reserves the right to change design, materials or specifications without notice. There will be a charge for modifying an order after it has been entered when such change or modification results in additional engineering or clerical work for either KITZ or its suppliers.

NOTE. KITZ reserves the right to correct any obvious clerical errors in quotations, invoices and other contracts.

*K-Press warranty is limited to two years.

DESIGN STANDARDS

Manufacturers Standardization Society (MSS) of the Valve and Fitting Industry, Inc.

SP-25 - Standard Marketing System for Valves, Fitting, Flanges and Unions

SP-110 - Ball Valves Threaded, Socket-Welding, Solder Joint, Grooved and Flare Ends

NSF/ANSI 61 - Drinking Water System Components-Health Effects

NSF/ANSI 372 - Drinking Water System Components - Lead Content



KITZ®

KITZ CORPORATION OF AMERICA

10750 Corporate Drive • Stafford, Texas 77477 U.S.A.

Tel: (281) 491-7333 • Fax: (281) 491-9402 • Toll Free: 1-800-772-0073 • www.kitzus-kca.com

Copyright © 2025, KITZ Corporation of America