




## Lead Free† Copper Alloy Valves


### BALL VALVES


2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 858* IPS	014	\$ 10.80	0.25	20	120
	038	12.15	0.25	20	120
	012	14.45	0.30	12	96
	034	21.20	0.75	10	60
	100	34.05	1.67	6	36
	114	44.35	2.83	6	24
	112	72.30	3.12	4	16
	200	118.10	4.44	4	16
	212	259.00	10.50	-	2
	300	397.00	15.00	-	2
	400	700.00	22.15	-	2


2-Pc BODY • FULL PORT • PLATED BALL ‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 859* SOLDER	014	\$ -	-	-	-
	038	12.15	0.25	20	120
	012	14.45	0.30	12	96
	034	21.20	0.75	10	60
	100	34.05	1.67	6	36
	114	44.35	2.83	6	24
	112	72.30	3.12	4	16
	200	118.10	4.44	4	16
	212	259.00	10.50	-	2
	300	397.00	15.00	-	2
	-	-	-	-	-

#### WING HANDLE

2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 858W* IPS	014	\$ 12.25	-	20	120
	038	11.80	-	20	120
	012	16.15	0.50	12	96
	034	26.60	0.75	10	60
	100	41.80	1.20	6	36
	114	56.95	1.75	6	24
	112	86.00	2.80	4	16
	200	137.25	4.75	4	16

2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS* • 600 CWP/150 WSP					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 859W* SOLDER	014	\$ -	-	-	-
	038	11.80	-	20	120
	012	16.15	0.50	12	96
	034	26.60	0.75	10	60
	100	41.80	1.20	6	36
	114	56.95	1.75	6	24
	112	86.00	2.80	4	16
	200	137.25	4.75	4	16

2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 868 IPS	014	\$ 15.90	0.40	20	120
	038	21.05	0.40	20	120
	012	21.80	0.54	12	96
	034	32.85	0.83	10	60
	100	50.30	1.42	6	36
	114	68.60	2.08	6	24
	112	103.35	3.38	4	16
	200	152.55	4.50	2	8

2-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 869 SOLDER	014	\$ -	-	-	-
	038	21.05	0.40	20	120
	012	21.80	0.54	12	96
	034	32.85	0.83	10	60
	100	50.30	1.42	6	36
	114	68.60	2.08	6	24
	112	103.35	3.38	4	16
	200	152.55	4.50	4	16

\* Maintenance Free Double O-Ring Stem Seal Design  
‡ 1" ≤ 304 SS Ball





† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.


CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# LEAD FREE† COPPER ALLOY


## BALL VALVES


2-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 868M IPS	014	\$ 42.15	0.40	20	120
	038	40.70	0.40	20	120
	012	42.45	0.54	12	96
	034	52.70	0.83	10	60
	100	74.95	1.42	6	36
	114	128.60	2.08	6	24
	112	176.70	3.38	4	16
	200	229.00	4.50	2	8

2-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS/SEALS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 869M SOLDER	014	\$ -	-	-	-
	038	40.70	0.40	20	120
	012	42.45	0.54	12	96
	034	52.70	0.83	10	60
	100	74.95	1.42	6	36
	114	128.60	2.08	6	24
	112	176.70	3.38	4	16
	200	229.00	4.50	4	16

3-Pc Body • FULL PORT • PLATED BALL ‡ PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 863 SOLDER	012	\$ 86.30	1.00	6	36
	034	106.15	1.00	4	24
	100	160.95	2.00	4	16
	114	237.00	4.00	2	8
	112	386.00	7.00	6	-
	200	670.00	11.00	4	-

‡ 1" ≤ 304 SS Ball

3-Pc BODY • FULL PORT • 316 BALL & STEM PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 862M IPS	012	\$101.45	1.00	6	36
	034	123.65	1.00	4	24
	100	178.45	2.00	4	16
	114	293.00	4.00	2	8
	112	462.00	7.00	6	-
	200	845.00	11.00	4	-

3-Pc Body • FULL PORT • 316 BALL & STEM PTFE SEATS • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 863M SOLDER	012	\$101.45	1.00	6	36
	034	123.65	1.00	4	24
	100	178.45	2.00	4	16
	114	293.00	4.00	2	8
	112	462.00	7.00	6	-
	200	845.00	11.00	4	-





† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# LEAD FREE† COPPER ALLOY BALL VALVES


## K-PRESS


FULL PORT • Cr BALL 200 PSI K-PRESS ENDS					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 801XL/XLC* 	012	\$ 43.15	0.52	40	80
	034	59.55	0.86	25	50
	100	85.15	1.28	20	40
	114	134.10	2.11	10	20
	112	180.80	3.60	6	12
	200	268.00	4.80	4	8
	212	640.00	12.08	1	2
	300	920.00	16.90	-	2
	400	1,280.00	25.86	-	2

\* XLC connections are standard for 2½" ~ 4"


\*\* UL Certified to NSF/ANSI 61-G and 372


## 3-WAY

2-Pc Body • LPort • REGULAR PORT PLATED BALL • 400 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 854 IPS	012	\$ 37.95	0.98	10	40
	034	55.65	1.31	8	32
	100	83.75	2.00	8	32
	114	124.20	2.80	6	12
	112	181.35	3.90	4	8
	200	297.00	6.00	2	4

2-Pc Body • LPort • REGULAR PORT PLATED BALL • 400 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 855 SOLDER	012	\$ 37.95	0.98	10	40
	034	55.65	1.31	8	32
	100	83.75	2.00	8	32
	114	124.20	2.80	6	12
	112	181.35	3.90	4	8
	200	297.00	6.00	2	4


## CAP & CHAIN\*\*


2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 868C IPS x HOSE	012	\$ 38.55	0.54	12	96
	034	54.40	0.83	10	60

2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 869C C x HOSE	012	\$ 38.55	0.54	12	96
	034	54.40	0.83	10	60

\*\* Cap is not intended to retain pressure.

## DRAINABLE

2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 868AD IPS	012	\$ 25.75	0.54	12	96
	034	39.25	0.83	10	60
	100	55.55	1.26	6	36

2-Pc Body • FULL PORT PLATED BALL • 600 CWP/212°F					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 869AD SOLDER	012	\$ 25.75	0.42	12	96
	034	39.25	0.75	10	60
	100	55.55	1.30	6	36





Certified to  
NSF/ANSI 61-G & 372


† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)


# LEAD FREE† COPPER ALLOY GATE VALVES


CLASS 125 • SCREWED BONNET NON-RISING STEM • SOLID WEDGE DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 807 IPS	012	\$ 36.65	0.57	10	60
	034	47.75	0.81	5	50
	100	78.90	1.19	6	36
	114	100.30	1.72	6	24
	112	121.00	2.10	5	20
	200	143.25	3.50	3	12

CLASS 125 • SCREWED BONNET NON-RISING STEM • SOLID WEDGE DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 807 SOLDER	012	\$ 36.65	0.57	10	60
	034	47.75	0.81	8	32
	100	78.90	1.19	6	36
	114	100.30	1.72	6	24
	112	121.00	2.10	5	20
	200	143.25	3.50	2	12

CLASS 125 • SCREW-OVER BONNET NON-RISING STEM • SOLID WEDGE DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 827 IPS	012	\$ 41.90	0.71	8	48
	034	54.65	0.90	5	30
	100	90.40	1.43	5	30
	114	114.90	1.93	5	20
	112	138.35	2.63	4	16
	200	164.10	4.19	2	8

## GLOBE VALVES

CLASS 125 • SCREW-IN BONNET RISING STEM • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 811 IPS	012	\$ 88.45	0.71	10	60
	034	109.65	1.37	7	28
	100	154.55	1.80	6	24
	114	208.00	2.63	5	20
	112	256.00	3.88	4	16
	200	393.00	6.63	2	8


CLASS 125 • SCREW-IN BONNET RISING STEM • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
 812 Solder	012	\$ 88.45	0.66	10	60
	034	109.65	1.23	7	28
	100	154.55	1.69	6	24
	114	208.00	2.51	5	20
	112	256.00	3.66	4	16
	200	393.00	6.40	2	8





† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.


CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)


# LEAD FREE† COPPER ALLOY CHECK VALVES


CLASS 125 • T-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
	012	\$ 34.95	0.68	12	72
	034	50.95	1.00	10	40
	100	79.00	1.54	8	32
	114	108.45	2.33	4	16
	112	147.55	3.00	3	12
IPS	200	252.00	4.92	2	8


CLASS 125 • T-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
	012	\$ 34.95	0.68	12	72
	034	50.95	1.00	10	40
	100	79.00	1.54	8	32
	114	108.45	2.33	4	16
	112	147.55	3.00	3	12
SOLDER	200	252.00	4.92	2	8


CLASS 125 • Y-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
	012	\$ 50.10	0.33	12	96
	034	66.45	0.90	10	60
	100	84.15	1.00	8	48
	114	134.75	2.04	4	24
	112	154.55	2.61	3	18
IPS	200	229.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
	012	\$ 50.10	0.33	12	96
	034	66.45	0.90	10	60
	100	84.15	1.00	8	48
	114	134.75	2.04	4	24
	112	154.55	2.61	3	18
SOLDER	200	229.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE PTFE DISC • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
	012	\$ 41.30	0.33	12	96
	034	64.95	0.90	10	60
	100	93.05	1.00	8	48
	114	126.95	2.04	4	24
	112	197.85	2.61	3	18
IPS	200	282.00	5.92	3	12

CLASS 125 • Y-PATTERN • SWING TYPE PTFE DISC • INTEGRAL SEAT					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
	012	\$ 41.30	0.33	12	96
	034	64.95	0.90	10	60
	100	93.05	1.00	8	48
	114	126.95	2.04	4	24
	112	197.85	2.61	3	18
SOLDER	200	282.00	5.92	3	12

LIFT TYPE • 250 CWP SPRING LOADED • FPM DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
	012	\$ 30.35	0.38	20	160
	034	36.65	0.56	12	96
	100	50.20	0.86	9	72
	114	62.90	1.25	6	48
	112	82.40	1.78	6	36
IPS	200	125.55	2.88	3	24

LIFT TYPE • 250 CWP SPRING LOADED • FPM DISC					
CODE NUMBER	SIZE CODE	LIST PRICE	WT. LBS.	PACKAGING	
				BOX	CTN
	012	\$ 30.35	0.38	20	160
	034	36.65	0.56	12	96
	100	50.20	0.86	9	72
	114	62.90	1.25	6	48
	112	82.40	1.78	6	36
SOLDER	200	125.55	2.88	3	24



† Product complies with NSF/ANSI Standard 61 Annex G, NSF/ANSI Standard 372 and conforms with lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana laws and the U.S. Safe Drinking Water Act that went into effect January 2014.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# OPTIONS & ACCESSORIES\* FOR BALL VALVES

## 858 / 859 Series

OPTION	CODE NO.	SIZES	SPECIFY	LIST PRICE INSTALLED
<b>Extension Stem</b>	858/859	1/4" - 3/4"	EL-600	\$ 20.95
		1" - 1 1/4"	EL-601	25.10
		1 1/2" - 2"	EL-602	30.30
		2 1/2" - 4"	EL-604	84.00
<b>Memory Stop Plate</b>	858/859	1/4" - 3/4"	MS-600	5.80
		1" - 1 1/4"	MS-601	6.15
		1 1/2" - 2"	MS-602	6.65
<b>Lever Handle</b>	858/859	1/4" - 3/8"	LH(Code #)	9.10
		1/2" - 3/4"		11.70
		1" - 1 1/4"		13.10
		1 1/2" - 2"		14.60
		2 1/2"		23.15
		3" - 4"		90.55
<b>Stainless Lever &amp; Nut (304 SS)</b>	858/859	1/4" - 3/4"	SSL-600	8.90
		1" - 1 1/4"	SSL-601	12.35
		1 1/2" - 2"	SSL-602	15.80
<b>Oval Handle</b>	858/859	1/4" - 3/4"	OH-600	23.15
		1" - 1 1/4"	OH-601	31.20
		1 1/2" - 2"	OH-602	33.60
<b>Wing Handle</b>	858/859	1/4" - 3/4"	WH-600	10.15
		1" - 1 1/4"	WH-601	15.85
		1 1/2" - 2"	WH-602	24.60

\*Accessories are interchangeable with their Leaded counterparts which have Yellow plastic covers.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# OPTIONS & ACCESSORIES\* FOR BALL VALVES

## 868 / 869 Series & Others

OPTION	VALVE SERIES CODE NO.	SIZES	SPECIFY	LIST PRICE INSTALLED
<b>Insulated Stem Extension</b>	868/869	1/4" - 1/2"	ISE-1	\$ 37.10
	862/863	3/4"	ISE-2	37.10
		1" - 1 1/4"	ISE-3	41.30
		1 1/2" - 2"	ISE-4	75.25
<b>Memory Stop</b>	868/869	1/4" - 3/4"	MS-11	7.60
	862/863	1" - 1 1/4"	MS-12	9.70
		1 1/2" - 2"	MS-3	10.65
<b>Locking Levers (Stainless Steel)</b>	868/869 862/863	1/4" - 3/8"	LL-1	18.05
		1/2"	LL-2	18.05
		3/4"	LL-3	20.15
		1" - 1 1/4"	LL-4	21.25
		1 1/2" - 2"	LL-5	22.35
<b>Lever Handles</b>	All	1/4" - 3/8"	LH(Fig. No.)	9.10
		1/2" - 3/4"		11.70
		1" - 1 1/4"		13.10
		1 1/2" - 2"		14.60
		2 1/2"		23.15
		3"		90.55
<b>Oval Handles</b>	854/855	1/2" - 3/4"	OH-2	23.15
		1" - 1 1/2"	OH-3	31.85
		2"	OH-4	33.00
	868/869 862/863	1/4" - 1/2"	OH-1	22.45
3/4"		OH-2	23.15	
1" - 1 1/4"		OH-3	31.85	
1 1/2" - 2"		OH-4	33.00	
<b>Locking Oval (Stainless Steel)</b>	868/869 862/863	1/4" - 1/2"	OH-2L	31.85
		3/4"	OH-3L	31.85
		1" - 1 1/4"	OH-4L	43.40
		1 1/2" - 2"	OH-5L	45.65
<b>Wing Handle</b>	868/869 862/863	1/4" - 1/2"	WH-1	10.55
		3/4"	WH-2	10.55
		1" - 1 1/4"	WH-3	16.55
		1 1/2" - 2"	WH-4	25.60
		2 1/2"	WH-5	98.60
		3"	WH-6	111.25
<b>Anti-Static Grounding Spring</b>	All	1/4" - 3/4"	GS-1	9.10
		1" - 1 1/4"	GS-2	9.10
		1 1/2" - 2"	GS-3	9.10

\*Accessories are interchangeable with their Leaded counterparts which have Orange plastic covers.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# GENERAL TERMS AND CONDITIONS

## ACCEPTANCE

All quotations are for acceptance within 30 days from date of quotation unless extended in writing. In the event a purchase order is placed after this time, the Seller's company reserves the right to requote prices of all valves offered. All orders and contracts are subject to credit approval and acceptance by KITZ.

## FREIGHT

All materials will be shipped F.O.B. point of shipment – no freight allowance unless otherwise stated and agreed upon with the Buyer.

## PRICES

There will be added to all prices quoted any sales, excise, or similar tax which Seller may be required to collect on or in connection with the sale. Seller reserves the right to cancel any order in the event that selling prices shall be established by Federal, State or other governmental regulation with respect to the products covered by the order which shall be lower than the prices specified in the order.

## ESCALATION TERMS

Prices shown in this price schedule reflect the costs in effect at the time of publication. These prices will remain firm on all products with a quoted delivery of twenty six (26) weeks or less. On products with a quoted delivery of more than 26 weeks, the Seller has a right to price and invoice at the applicable price sheet in effect at the time of shipment. In no event will the invoiced price be less than price originally quoted.

## DEFERRED SHIPMENTS

If for any reason the Buyer desires to delay shipments more than 30 days after manufacturing or to place a hold or to stop the order during the manufacturing cycle, the Seller's company reserves the right to consider the order cancelled and to invoke cancellation charges.

## CREDIT TERMS

As quoted. Overdue balances will be subject to 1.5% service charge per month on such indebtedness.

## DELIVERIES

Shipments made to the Buyer shall at all times be subject to the approval of Seller's Credit Department. All schedules of shipments are estimated as closely as possible and Seller will use its best effort to ship within the time schedule but does not guarantee to do so. Seller shall not be liable for any direct, indirect, or consequential damage or loss caused by delay in delivery, regardless of the cause of delay. Items offered from stock are subject to prior sale.

## RETURNS

No returns are allowed without prior arrangements made with the Seller. Product considered for return must be in new, resalable condition and of current design.

## WARRANTY

Seller will replace without charge or refund the purchase price of products manufactured by Seller which prove to be defective in material or workmanship, provided in each case that the product is properly installed and is used in the service for which Seller recommends it and that written claim, specifying the alleged defect, is presented to the Seller within one year from the date of shipment. For Copper Alloy and Iron valves sold and installed in the U.S. the warranty\* is five years. Seller shall in no event be responsible for claims of A) labor, expenses, or other damages occasioned by defective parts or products or for B) consequential or secondary damages. **The Warranty stated in this paragraph is in lieu of all other warranties, either expressed or implied. With respect to warranties, this paragraph states Buyer's exclusive remedy and Seller's exclusive liability.**

## DESIGN

Because of a policy of continuous product improvement, Seller reserves the right to change design, materials or specifications without notice. There will be a charge for modifying an order after it has been entered when such change or modification results in additional engineering or clerical work for either KITZ or its suppliers.

## NOTE

KITZ reserves the right to correct any obvious clerical errors in quotations, invoices and other contracts.

\*K-Press warranty is limited to two years.

CALIFORNIA PROP 65: WARNING: Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



## DESIGN STANDARDS

**Manufacturers Standardization Society (MSS)** of the Valve and Fitting Industry, Inc.

**SP-25** - Standard Marketing System for Valves, Fitting, Flanges and Unions

**SP-110** - Ball Valves Threaded, Socket-Welding, Solder Joint, Grooved and Flare Ends

**NSF/ANSI 61 - Drinking Water System Components-Health Effects**

**NSF/ANSI 372 - Drinking Water System Components - Lead Content**



# KITZ®

KITZ CORPORATION OF AMERICA

10750 CORPORATE DRIVE • STAFFORD, TEXAS 77477 U.S.A.

TEL: (281) 491-7333 • FAX: (281) 491-9402 • TOLL FREE: 1-800-772-0073 • [www.kitzus-kca.com](http://www.kitzus-kca.com)

Copyright © 2011, Kitz Corporation of America

**KITZ®**